

KITCHEN

Maximizing the value of space. Together.





Table • f **Contents**

Introduction

CHAPTER

Pantry Solutions

CHAPTER

Kitchen **Accessories**

CHAPTER

Lighting

CHAPTER

Corner **Solutions**

CHAPTER

Recycling/Waste Solutions

CHAPTER

Backsplash Solutions

CHAPTER

Flap Fittings

CHAPTER

Base **Solutions**

CHAPTER

Drawer **Organization**

Decorative Hardware

CHAPTER

Sliding Systems

CHAPTER

Courage and optimism

Part of the Häfele DNA for 100 years







THE GLOBAL COMPANY WITH A FAMILY TOUCH.

From the beginning, company founder Adolf Häfele regularly visited his partners on-site, believing in the power of personal contact. One hundred years later, we're still convinced. By being close to our customers, we better understand their needs, analyze market conditions more precisely and more quickly identify opportunities to improve.

Häfele has become synonymous with pioneering ideas for living, working and leisure. The company's hardware technology credentials in the fields of furniture construction, office organization, electronic access control and architectural hardware solutions are unparalleled.

In addition to being a global manufacturer, we also source products from around the world to bring the Canadian market the most current and innovative products and design ideas. Partnering with highly regarded European suppliers, guarantees quality products in every Canadian home.

We offer a complete one-stop service, comprehensive advice, sound development competence, and sophisticated logistics - all ideal characteristics for partnership in the furniture industry, building and design trades.

At Häfele, knowledge gained through connection with our customers has always been coupled with a wealth of ideas, courage and the drive to always stay one step ahead. To date, this approach has resulted in new products, efficient processes and innovative services and solutions. We thank you, our customers, for being our partners in this journey to maximize the value of space.



Cover: Credit be assigned to Khachi Design + Build and photography credits appointed to Carole & Roy Timm Photography

Elevate your design with the best kitchen accessories

High-quality products made in Germany



Maximizing the value of space.
Together.





Step 1

Choose the product category that fits to the kitchen layout

Corner Solutions Base Solutions

Pantry Solutions

Recycling/Waste Solutions

Drawer Organization

Kitchen Accessories Backsplash Solutions

Decorative Hardware Lighting

Flap Fittings

Sliding Systems

Step 2

Choose a style that fits your design

Planero Walnut



Planero Lava Grey



Saphir



Premea Anti-Slip White



Step 3

Make note of the Häfele item number





Product Categories

Corner Solutions

VS COR® Fold



CORNERSTONE® MAXX



Pantry Solutions

VS TAL® Premea




VS TAL® WIRO Bottle



Base Solutions

VS SUB® Side





Recycling/Waste Solutions

VS ENVI® Space





Drawer Organization

Vionaro



Fineline Cutlery Tray





Kitchen Accessories

Pull-Out Spice Racks



Pull-Out Table

Backsplash Solutions

Shiny Surface (Metallic)





Decorative Hardware

H23 Series





Lighting

Recessed LED strip lights



Profiles for surface mounting



Flap Fittings

Häfele Free Space



Häfele Free Fold

Sliding Systems

Concepta 25/30/40/50 set



Folding Concepta 25 set



Create a space that will work for today, tomorrow and in the future.

Kitchen planning should start with the homeowners preferences and how they want to make the best use of their space. This has a big impact on planning decisions. Things like whether a dining area will be included for entertaining, or a space that can be doubled as a home office should be taken into consideration.

Is the kitchen open concept? Does it open to other areas of the home? What will the view from other rooms look like? Is additional counter space required for kitchen tools or does the homeowner prefer to have them stored away? Document these key considerations and provide expertise to your client to create a customized kitchen design that perfectly aligns with their needs and preferences.







Kitchen design by Claire Jefford. Photography by Stephani Buchman Photography.







Häfele is the exclusive distributor of Vauth-Sagel; a family-owned business that was established in 1962 by Hermann Vauth and Heinrich Sagel. Vauth-Sagel develops and manufacture premium German quality kitchen accessories, and individual solutions or modular system solutions that make people's everyday lives easier.

Vauth-Sagel focuses on combining design and functionality. Their stylish pull-out systems are not only beautiful to look at; they also offer high-quality convenience and help to make everyday life in the kitchen easier. This has been honoured numerous times and they are proud to have received several renowned design awards with our products.






















AVALIABLE FINISHES:
















VERSATILE AND FLEXIBLE

Shape and material are often a matter of taste when choosing a design. For this reason, the entire Vauth-Sagel program is designed as a modular system in which the guide and the frame can be combined with all storage designs.







CORNER SOLUTIONS

01

MAXIMIZING CORNER STORAGE

German-made Vauth-Sagel offers a range of corner solutions designed to maximize storage and accessibility in the kitchen.

Some benefits include integrated soft and self-closing, height-adjustable trays, power-assisted movement, and comfortable access. There are multiple colour options to match the kitchen's aesthetics, including the newly released "Planero Walnut" style.





NEW STYLES - PLANERO LAVA AND WALNUT

Vauth-Sagel by Häfele



VS TAL® LARDER



CORNERSTONE® MAXX



VS COR® WHEEL PRO



VS COR® FLEX



VS COR® FOLD



VS SUB® SLIM



VS SUB® SIDE







Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate.



VS COR® Fold

Vauth-Sagel by Häfele



- > The VS COR® Fold corner cabinet is easily accessible due to its user-friendly movement when opened
- > Upon opening, the front baskets automatically swing away, leaving free access to the back basket
- > Thanks to the front connection with integrated 3D adjustment and central height alignment, the VS COR® Fold can be fitted
- > The integrated dampening ensures quiet, smooth closing of the pull-out

| Finish | Item No. Left | Item No. Right | Door dimensions mm | Cabinet dimensions mm |
|--------------------|---------------|----------------|--------------------|-----------------------|
| Saphir chrome | 548.17.231 | 548.17.230 | 450 to 600 | 900 to 1000 |
| Premea white | 548.18.271 | 548.18.270 | 450 to 600 | 900 to 1000 |
| Premea maple | 548.18.251 | 548.18.250 | 450 to 600 | 900 to 1000 |
| Premea grey | 548.18.281 | 548.18.280 | 450 to 600 | 900 to 1000 |
| Planero lava | 548.13.384 | 548.13.385 | 400 | 800 |
| Planero lava | 548.13.386 | 548.13.387 | 450 to 600 | 900 to 1000 |
| Diapara walnut 🕥 | 548.19.683 | 548.19.682 | 400 | 800 |
| Planero walnut (1) | 548.19.693 | 548.19.692 | 450 to 600 | 900 to 1000 |

Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate

CORNERSTONE® MAXX

Vauth-Sagel by Häfele

- > Easy to assemble pull-out shelving unit
- > Shelves operate independently
- > Toolless assembly of shelf elements on the support arms
- > Automatic assist opening
- > Simple height adjustment, even when installed
- > Floating design thanks to hidden fastening
- > Large-area shelves
- > Left or right handed

2-Tray

| Door Width mm | Cabinet Width mm | Left Hand | Right Hand |
|---------------------|------------------|------------|------------|
| Premea White | | | |
| 400 (15 3/4") | 800 (31 1/2") | 542.02.242 | 542.02.241 |
| 450 (17 3/4") | 900 (35 7/16") | 542.02.247 | 542.02.246 |
| 500 (19 11/16") | 1000 (39 3/4") | 542.02.252 | 542.02.251 |
| 600 (23 5/8") | 1000 (39 3/4") | 542.02.262 | 542.02.261 |

| Door Width Cabinet Width mm | | Left Hand | Right Hand |
|-----------------------------|----------------|------------|------------|
| Premea Grey | | | |
| 400 (15 3/4") | 800 (31 1/2") | 542.01.642 | 542.01.641 |
| 450 (17 3/4") | 900 (35 7/16") | 542.01.647 | 542.01.646 |
| 500 (19 11/16") | 1000 (39 3/4") | 542.01.652 | 542.01.651 |
| 600 (23 5/8") | 1000 (39 3/4") | 542.01.662 | 542.01.661 |

| Door Width mm | Cabinet Width mm | Left Hand | Right Hand | |
|-----------------|------------------|------------|------------|--|
| Premea Maple | | | | |
| 400 (15 3/4") | 800 (31 1/2") | 542.01.142 | 542.01.141 | |
| 450 (17 3/4") | 900 (35 7/16") | 542.01.147 | 542.01.146 | |
| 500 (19 11/16") | 1000 (39 3/4") | 542.01.152 | 542.01.151 | |
| 600 (23 5/8") | 1000 (39 3/4") | 542.01.162 | 542.01.161 | |

2-Tray Post Kit

- > Suitable for 800, 900 or 1000 mm (31 1/2", 35 7/16" or 39 3/4") base corner cabinets
- > Cabinet height: 650-850 mm (25 9/16"-33 7/16")

| Colour | Item No. |
|--------|------------|
| silver | 542.02.900 |

Supplied with

2x pull-out and pivoting mechanism Mounting hardware

Note

Order shelves separately

| Door Width mm | Vidth Cabinet Width mm | | Right Hand | |
|-----------------|------------------------|------------|------------|--|
| Planero Lava | \boldsymbol{o} | | | |
| 400 (15 3/4") | 800 (31 1/2") | 542.02.491 | 542.02.490 | |
| 450 (17 3/4") | 900 (35 7/16") | 542.02.493 | 542.02.492 | |
| 500 (19 11/16") | 1000 (39 3/4") | 542.02.495 | 542.02.494 | |
| 600 (23 5/8") | 1000 (39 3/4") | 542.02.497 | 542.02.496 | |

| Door Width Cabinet Width mm | | Left Hand | Right Hand |
|-----------------------------|----------------|------------|------------|
| Planero Walnu | t 🔞 | | |
| 400 (15 3/4") 800 (31 1/2") | | 542.13.744 | 542.13.743 |
| 450 (17 3/4") | 900 (35 7/16") | 542.13.749 | 542.13.748 |
| 500 (19 11/16") | 1000 (39 3/4") | 542.13.754 | 542.13.753 |
| 600 (23 5/8") | 1000 (39 3/4") | 542.13.764 | 542.13.763 |

4-Tray Post

- > Allows two Cornerstone MAXX units to be installed stacked one on top of the other in taller cabinets
- > Suitable for 800, 900 or 1000 mm (31 1/2", 35 7/16" or 39 3/4") base corner cabinets
- > Cabinet height: 1350-1600 mm (53 5/32"-63")

| Colour | Item No. |
|--------|------------|
| silver | 542.02.901 |

Supplied with

Mounting hardware

Note

Order 2 sets separately Order 542.02.900 x 2 separately





Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate.

VS COR® Flex

Vauth-Sagel by Häfele

- > A pull out corner unit with four baskets, which maximizes space and fully exits the cabinet allowing access to each basket.
- > Unhanded installation, pull-out can be used on left or right side
- > Integrated soft and self close ensures quiet, smooth closing of the pull-out
- > Min. cabinet width: 800 mm (31 1/2")
- > Built-in depth: 480 mm (18 7/8")
- > Installed height: 530 mm (20 7/8")
- > Capacity: Slide Load: 32 kg (70.5 lb); Basket: 8 kg (17.5 lb)

Material: powder coated RAL 9006 grey

| Door Width mm | Finish | Item No. |
|--------------------------------|------------------|------------|
| | Saphir Chrome | 548.29.963 |
| | Premea Grey | 548.29.973 |
| 400 (15 2/4") | Premea White | 548.29.983 |
| 400 (15 3/4") | Premea Maple | 548.29.993 |
| | Planero Lava | 595.56.323 |
| | Planero Walnut 🕠 | 545.56.723 |
| 450 (17.0/4") | Planero Lava | 595.56.324 |
| 450 (17 3/4") 600 (23 5/8") | Planero Walnut 🕠 | 595.56.724 |
| | Planero Lava | 595.56.325 |
| | Planero Walnut 🕠 | 595.56.725 |

Supplied with
Pull-out and sliding mechanism 4 x storage baskets Installation template Installation instructions







VS COR® Wheel Pro

Vauth-Sagel by Häfele

- > Designed with no central column to give greatest amount of storage space and with adjustable shelf heights to suit different cabinet heights
- > Can be retrofitted into existing cabinets
- > Shelves rotate independently of each other
- > Unhanded

| Finish | Ø mm | Item No. | | | | |
|--------------------------|-----------------|------------|--|--|--|--|
| 3/4 Round | | | | | | |
| Premea white melamine | 680 (26 3/4") | 542.62.711 | | | | |
| Fremea write melanine | 760 (29 15/16") | 542.62.712 | | | | |
| Premea anti-slip maple | 680 (26 3/4") | 542.63.162 | | | | |
| Fremea anti-siip mapie | 760 (29 15/16") | 542.63.163 | | | | |
| Premea anti-slip white | 760 (29 15/16") | 542.63.263 | | | | |
| Planero lava | 680 (26 3/4") | 542.62.411 | | | | |
| Planero lava | 760 (29 15/16") | 542.62.412 | | | | |
| Planero walnut 🔞 | 680 (26 3/4") | 542.62.011 | | | | |
| rianero waiffut W | 760 (29 15/16") | 542.62.012 | | | | |

Supplied with 2 melamine shelves with polished chrome rail. Mounting brackets Shelf arms Installation instructions.











BASE SOLUTIONS

02

MAXIMIZING LOWER STORAGE

Incorporating base solutions into the kitchen layout enhances its functionality, organization, and aesthetic.

The VS Sub® Slim and the VS Sub® Side are designed to optimize space, improve accessibility with height-adjustable trays, and provide a seamless user experience with integrated soft and self-closing.





VS SUB® Side

Vauth-Sagel by Häfele

- > Height-variable installation of the baskets with additional locking
- > Unhanded frame, can be mounted either left or right
- > 3D front adjustment
- > Integrated soft close damper
- > Built-in depth: 495 mm (19 1/2")
- > Capacity: max. 20 kg (44 lb) per unit

Frames

> Width: 30 mm (1 3/16") > Depth: 495 mm (19 1/2")

Material: steel

| Height mm | RAL 9006 Grey | Lava Grey |
|------------------|------------------|------------|
| 485 (19 1/8") | 546.82.900 | 595.77.301 |
| 577 (22 11/16") | 546.39.994 | 546.34.351 |
| 619 (24 3/8") | 546.39.943 | 546.82.302 |
| 741 (29 3/16") | 546.82.903 | 546.82.303 |
| 1222 (48 7/64") | 546.82.904 | 595.77.305 |
| 1602 (63 5/64") | 546.82.905 | _ |
| 1824 (71 13/16") | 546.82.906 | 595.77.308 |

Baskets

Material: steel, chrome-plated

| No. of Baskets | Combin | Premea An | ti-Slip | | Planero | Planero | 0 |
|-----------------------|------------|------------|------------|------------|------------|------------|---|
| NO. OI Baskets | Saphir | White | Maple | Grey | Lava Grey | Walnut | 0 |
| Width: 89 (3 1/2") | | | | | | | |
| 2 | 546.40.340 | 546.36.260 | 546.36.200 | 546.36.240 | _ | _ | |
| 3 | 546.36.230 | 546.36.270 | 546.36.210 | 546.36.250 | _ | _ | |
| Width: 139 (5 1/2") | | | | | | | |
| 2 | 546.36.221 | 546.36.261 | 546.36.201 | 546.36.241 | 546.36.381 | 595.78.721 | |
| 3 | 546.36.231 | 546.36.271 | 546.36.211 | 546.36.251 | 595.78.311 | 595.78.731 | |
| Width: 220 (8 21/32") | | | | | | | |
| 2 | 546.40.343 | 546.36.262 | 546.36.202 | 546.36.242 | 546.36.382 | 595.78.722 | |
| 3 | 546.36.232 | 546.36.272 | 546.36.212 | 546.36.252 | 595.78.312 | 595.78.732 | |

Supplied with

Storage baskets Hanging clips (2 per basket) Door mounting brackets x 2



Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate.

VS SUB® Slim

Vauth-Sagel by Häfele



- > Base cabinet pull-out with closed metal shelf
- > Right hand mounting only
- > Tool-free assembly of the pull-out
- > 3D front adjustment
- > Integrated dampening
- > For material thickness: 16-19 mm (5/8"-3/4")
- > Min. cabinet width: 150 mm (5 7/8")
- > Installed height: 600 mm (23 5/8")
- > Built-in depth: 500 mm (19 11/16")
- > Capacity: slide load: 12 kg (26.5 lb); baskets: 6 kg (13 lb)
- > Hardware not included

Fixed trays

- > 2 fixed trays
- > Basket width: 100 mm (3 15/16")

Material: steel

| Finish | | Item No. |
|----------------|---|------------|
| Chrome-plated | | 545.12.961 |
| Planero lava | 0 | 548.08.320 |
| Planero walnut | 0 | 548.08.720 |

Supplied with

- 1 pull-out 1 pair of full extension, soft and self closing ball bearing slides
 2 door hanging plates

Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate.

VS SUB® Slim

Vauth-Sagel by Häfele



Towel holder

> 1 x fixed tray, 1 x towel holder > Basket width: 100 mm (3 15/16")

Material: steel

| | That of the first | | |
|---|---|------------|--|
| F | Finish | Item No. | |
| (| chrome-plated | 545.12.911 | |

Supplied with 1 pull-out

1 pair of full extension, soft and self closing ball bearing slides 2 door hanging plates



Baking sheet holder

> 1 x fixed tray, 1 x baking sheet holder

> Basket width: 100 mm (3 15/16")

Material: steel

| Finish | Item No. |
|---------------|------------|
| chrome-plated | 545.12.941 |

Supplied with 1 pull-out

1 pair of full extension, soft and self closing ball bearing slides 2 door hanging plates





PANTRY SOLUTIONS

03

MAXIMIZING PANTRY STORAGE

Vauth-Sagel's pantry solutions offer innovative features that maximize space, enhance functionality, and provide storage solutions.

The VS Tal® and VS Tal® WIRO Bottle come in many colour variations, giving options for a pantry that complements the kitchen's aesthetic.





VS TAL® SAPHIR

Vauth-Sagel by Häfele

| Cabinet | Basket | Installed hei | Installed height mm | | | | | |
|-------------|-------------|---|---|---|--|--|--|--|
| width mm | width mm | 950 to 1200 (37 3/8" to 47 1/4") | 1200 to 1450 (47 1/4" to 57 3/32") | 1450 to 1700 (57 3/32" to 66 15/16") | 1700 to 1950 (66 15/16" to 76 3/4") | 1900 to 2150 (74 13/16" to 84 5/8") | 2150 to 2350 (84 5/8" to 92 1/2") | |
| 300 | 250 | 547.21.501 | 547.21.502 | 547.21.503 | 547.21.504 | 547.21.505 | 547.21.506 | |
| 400 | 350 | 547.21.511 | 547.21.512 | 547.21.513 | 547.21.514 | 547.21.515 | 547.21.516 | |
| 450 | 400 | 546.48.241 | 546.48.242 | 546.48.243 | 546.48.244 | 546.48.245 | 546.48.246 | |
| 500 | 450 | 547.21.521 | 547.21.522 | 547.21.523 | 547.21.524 | 547.21.525 | 547.21.526 | |
| 600 | 550 | 547.21.531 | 547.21.532 | 547.21.533 | 547.21.534 | 547.21.535 | 547.21.536 | |

Supplied with Soft close damper Mounting instructions

Hardware

Safety Note

The cabinet must be securely fastened to the wall to prevent it from tilting. Appropriate fixing material is not included.

- > Mounting of the frame on the slide without tools
- > Variable frame heights from 950 to 2350 mm (37 3/8" to 92 1/2")
- > Stabilizing of the front by front strips
- > 3D front adjustment
- > Height-adjustable basket assembly using functional clip; firm grip and low noise
- > Basket variants available for cupboard widths
 - 300 to 600 mm (11 13/16" to 23 5/8")
- > Full pull-out with dampening
- > Material: Baskets: steel, chrome-plated; Frame: steel, silver powder coated RAL 9006 grey
- > For material thickness: 16 to 19 mm (5/8" to
- > Minimum cabinet depth: 475 mm (18 11/16")
- > Basket dimensions: (D x H) 428 x 80 mm (16 7/8" x 3 1/8")
- > Capacity: slide load: 120 kg (265 lb); basket 16 kg (35.3 lb)



Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate.

VS TAL® PREMEA

Vauth-Sagel by Häfele

| Cabinet | Basket | Colour | Installed height mm | | | | |
|-------------|-------------|--------|---------------------|--------------|--------------|--------------|--------------|
| width mm | width mm | | 1200 to 1450 | 1450 to 1700 | 1700 to 1950 | 1900 to 2150 | 2150 to 2350 |
| 300 | 250 | white | 547.48.712 | 547.48.713 | 547.48.714 | 547.48.715 | 547.48.716 |
| | | maple | 547.48.812 | 547.48.213 | 547.48.214 | 547.48.215 | 547.48.816 |
| | | grey | 547.48.612 | 547.48.613 | 547.48.614 | 547.48.615 | 547.48.616 |
| 400 | 350 | white | 547.48.732 | 547.48.733 | 547.48.734 | 547.48.735 | 547.48.736 |
| | | maple | 547.48.832 | 547.48.233 | 547.48.234 | 547.48.235 | 547.48.836 |
| | | grey | 547.48.632 | 547.48.633 | 547.48.634 | 547.48.635 | 547.48.636 |

Note

The cabinet must be securely fastened to the wall to prevent it from tilting. Appropriate fixing material is not included.

- > Mounting of the frame on the slide without
- > Variable frame heights from 1200 to 2350 mm
- > Available for cabinet widths of 300 to 400 mm
- > Stabilizing of the front by front strips
- > 3D front adjustment
- > Height-adjustable basket assembly using functional clip
- > Full extension with soft-close
- > Anti-slip, melamine baskets with polished chrome rails
- > Installation instructions included
- > Material: Baskets: steel, chrome-plated; Frame: steel, silver powder coated RAL 9006 grey
- > For material thickness: 16 to 19 mm
- > Minimum cabinet depth: 475 mm
- > Capacity: slide load: 120 kg (265 lb); basket 16 kg (35.3 lb)





VS TAL® WIRO Bottle


Vauth-Sagel by Häfele


| Cabinet Width mm | Basket Width mm | Item No. |
|------------------|-----------------|------------|
| 150 (5 7/8") | 94 (3 11/16") | 549.85.202 |

Supplied with 1 frame set 1 runner set

- 3 panel connectors 3 Grass Nova Pro runners
- 3 storage trays
 12 chrome horizontal bottle holders
 4 chrome vertical bottle holders
- > 16 bottle wine rack for 150 mm (5 7/8") wide cabinets
- > Unit height: 1734 mm (68 17/64") > Installed height: 1850 mm (72 13/16")
- > Right hand mounting only
- > Slide load capacity: 25 kg (55 lb)
- > Material: steel; Finish: chrome-plated







RECYCLING/ WASTE SOLUTIONS

04

MAXIMIZING WASTE MANAGEMENT

Vauth-Sagel waste solutions are designed to enhance functionality and ease of use.

The bins come in various sizes, are dishwasher safe, have handles, powder-coated lids, and integrated soft and self-closing. This product range is continuously growing and evolving to meet our customers' needs. The VS Envi® BMT is an addition coming soon!





Vauth-Sagel by Häfele




- > For cabinet widths: 300 (11 13/16"), 400 mm (15 3/4"), 450 (17 11/16"), and 500 mm (19 11/16") and 600 mm (23 5/8")
- > Integrated 3D front adjustment
- > Integrated soft-close damper
- > Unobstructed removal of the back bins
- > Material: Lid & Bin Holder: steel, powdercoated; Bins: plastic

VS ENVI® Space XX 300

| Capacity L (Gal) | Grey | Lava Grey |
|------------------|------------|------------|
| 1 x 32 (8.45) | 502 44 500 | 502 44 200 |
| 1 x 1.2 (0.32) | 503.44.500 | 303.44.300 |

Optional



VS ENVI® Kick Vauth-Sagel by Häfele

| Description | Item No. |
|-----------------|------------|
| toe-kick opener | 503.04.950 |

Supplied with Installation template

VS ENVI® Space XX

Vauth-Sagel by Häfele



Kitchen design by Claire Jefford. Photography by Stephani Buchman Photography.

VS ENVI® Space XX 400

| Capacity L (Gal) | Grey | Lava Grey |
|------------------|------------|------------|
| 1 x 35 (9.25) | 503.44.501 | 502 44 201 |
| 1 x 1.2 (0.32) | 303.44.301 | 303.44.301 |

VS ENVI® Space XX 450

| Capacity L (Gal) | Grey | Lava Grey |
|------------------|------------|------------|
| 2 x 35 (9.25) | 503.44.502 | 503.44.302 |

VS ENVI® Space XX 500

| Capacity L (Gal) | Grey | Lava Grey |
|------------------|------------|------------|
| 2 x 35 (9.25) | 503.44.503 | 503.44.303 |

VS ENVI® Space XX 600

| Capacity L (Gal) | Grey | Lava Grey |
|------------------|------------|------------|
| 2 x 35 (9.25) | 502 44 504 | 502 44 204 |
| 1 x 21 (5.5) | 503.44.504 | 303.44.304 |

Replacement Bins

| Capacity L (Gal) | Light grey | Lava Grey |
|------------------|------------|------------|
| 1.2 (0.32) | 503.17.990 | 503.17.395 |
| 21 (5.5) | 503.17.991 | 503.17.396 |
| 29.5 (7.79) | 503.17.992 | _ |
| 32 (8.45) | 503.17.993 | 503.17.397 |
| 35 (9.25) | 503.17.994 | 503.17.398 |

Optional



VS ENVI® Kick Vauth-Sagel by Häfele

| Description | Item No. |
|-----------------|------------|
| toe-kick opener | 503.04.950 |

Supplied with Installation template

VS ENVI® Space Pro

Vauth-Sagel by Häfele

- > For cabinet width: 450 mm (17 11/16")
- > Min. installation depth: 464 mm (18 1/4")
- > Min. installation height: 470 mm (18 1/2")
- > Integrated 3D front adjustment
- > Integrated soft-close damper
- > Tool-less frame to slide assembly
- > System includes its own runners for side fixing to cabinets and door front
- > Waste bins and lid cover designed to pull out separately
- > Designed to be withdrawn from the cabinet while the lid remains inside for use as shelf
- > Material: Lid & Bin Holder: steel, silver RAL 9006, Bins: plastic; Colour: grey

| Capacity L (Gal) | Item No. |
|------------------|------------|
| 2 x 16 (4.2) | 503.04.502 |

Supplied with

Installation hardware

Optional



VS ENVI® Kick Vauth-Sagel by Häfele

| Description | Item No. |
|-----------------|------------|
| toe-kick opener | 503.04.950 |

Supplied with

Installation template







COMING SOON - VS ENVI® BMT

Vauth-Sagel by Häfele

Benefits:

- > Single bin version comes with an extra storage box for cleaning supplies 1,26 qt (1,2 liters)
- > Interchangeable Side Panels
- > Synchronized Drawer Slides for smooth and quiet operation.
- > Integrated Soft And Self-Closing
- > Available in Planero and Saphir

Technical Details:

- > Cabinet widths: Double bin version: 18" for FF = 15" opening, Single bin version: 15" for FF = 12" opening
- > System capacity: Double bin version: 70 qt (66,2 liters) or 100 qt (94,6 liters). Single bin version: 35 qt (33 liters) or 50 qt (47









DRAWER ORGANIZATION

05

MAXIMIZING DRAWER ORGANIZATION

Drawer organization is a crucial aspect of a kitchen design to ensure efficient use of space.

Matrix Box Slim A, Vionaro, and a range of Fineline products maximize drawer space and minimize clutter.

















> Minimum inside drawer depth: 424 mm (16 11/16")

> Maximum inside drawer depth: 530 mm (20 7/8")

> Minimum trim width: 257 mm (10 1/8")

Material: MDF veneer; Dividers: solid wood

| For Outside Cabinet Width mm | Actual Width mm | Walnut | Birch |
|------------------------------|-----------------|------------|------------|
| 457 (18") | 396 (15 9/16") | 556.87.601 | 556.87.901 |
| 610 (24") | 548 (21 9/16") | 556.87.602 | 556.87.902 |

Supplied with

Cutlery tray Depth extension spacer



- > Minimum inside drawer depth: 424 mm (16 11/16")
- > Maximum inside drawer depth: 530 mm (20 7/8")
- > Minimum trim width: 340 mm (13 3/8")

Material: MDF veneer; Dividers: solid wood

| For Outside Cabin Width mm | et Actual Width mm | Walnut | Birch |
|----------------------------|--------------------|------------|------------|
| 762 (30") | 702 (27 5/8") | 556.87.603 | 556.87.903 |
| 914 (36") | 853 (33 9/16") | 556.87.604 | 556.87.904 |

Supplied with Cutlery tray

Depth extension spacer



Multipurpose Insert 18"

Material: wood

| Description | Walnut | Birch |
|-------------------------|------------|------------|
| multipurpose insert 18" | 556 87 621 | 556 87 921 |



Multipurpose insert 24"

Material: wood

| Description | Walnut | Birch |
|-------------------------|------------|------------|
| multinurnose insert 24" | 556 87 622 | 556 87 922 |



Multipurpose insert 30"

Material: wood

| Description | Walnut | Birch |
|-------------------------|------------|------------|
| multipurpose insert 30" | 556.87.623 | 556.87.923 |



Multipurpose insert 36"

Material: wood

| Description | Walnut | Birch |
|-------------------------|------------|------------|
| multipurpose insert 36" | 556.87.624 | 556.87.924 |

Fineline

Accessories



Container holder

Material: wood

| Finish | Item No. |
|-----------|------------|
| walnut | 556.87.660 |
| birch | 556.87.960 |
| white oak | 556.87.460 |



Stepped container holder

| Material | Item No. |
|-----------|------------|
| walnut | 556.91.680 |
| birch | 556.91.980 |
| white oak | 556.91.480 |



Roll holder

Material: Roll Cover: aluminum anodized

| Material | Item No. |
|-----------|------------|
| walnut | 556.91.650 |
| birch | 556.91.950 |
| white oak | 556.91.450 |



Containers

- > Stainless steel set has lids for dispensing spices
- > Containers fit into the container holder for secure storage
- > Ø x H: 60 x 60 mm (2 3/8" x 2 3/8")

| Description | Item No. |
|-----------------|------------|
| stainless steel | 556.92.031 |
| glass | 556.92.321 |

Supplied with

6 pieces



Knife holder

| Material | Item No. |
|-----------|------------|
| walnut | 556.91.640 |
| birch | 556.91.940 |
| white oak | 556.91.440 |



Cross divider

| Material | Item No. |
|----------|------------|
| walnut | 556.87.699 |
| birch | 556.87.999 |





Depth extension spacer - required

| Dim. A mm | Walnut | Birch |
|----------------|------------|------------|
| 600 (23 5/8") | 556.91.622 | 556.91.922 |
| 1200 (47 1/4") | 556.91.623 | 556.91.923 |



Knife insert

- > Organize all your knives in one drawer
- > Quick, safe, visible, and easy to access
- > Can be trimmed for width and depth for a custom fit

Material: wood

| Size mm | Walnut | Birch |
|------------|------------|------------|
| 305 (12") | _ | 556.87.983 |
| 457 (18") | 556.87.681 | 556.87.981 |
| 610 (24") | 556.87.682 | 556.87.982 |



Width extension spacer - optional

| Description | Walnut | Birch |
|------------------------|------------|------------|
| width extension spacer | 556.91.611 | 556.91.911 |



Stepped spice holder

- > Visible and easy to access spices
- > Can be trimmed for width and depth for a custom fit

Material: wood

| Size mm | Walnut | Birch |
|------------|------------|------------|
| 457 (18") | 556.87.671 | 556.87.971 |
| 610 (24") | 556.87.672 | 556.87.972 |

Note

One depth extension is included with each insert.

Fineline

Kitchenware and plate organization



Posts

> L x W: 160 x 35 mm (6 5/16" x 1 3/8")

Material: wood

| Description | Walnut | Birch |
|-------------|------------|------------|
| triangular | 556.87.692 | 556.87.992 |
| round | 557.47.692 | 557.47.892 |

Supplied with 4 posts 4 locking nuts 4 push-in pins





Plate rack

Material: wood

| Description | Item No. |
|-------------|------------|
| walnut | 556.87.650 |
| birch | 556.87.950 |



Wine storage rack

| Thickness mm | Walnut | Birch |
|-----------------|------------|------------|
| 12 (1/2") | 557.47.720 | 557.47.820 |



Oil pan

Material: stainless steel

| Height mm | Item No. |
|--------------|------------|
| 15 (9/16") | 557.47.130 |

Dividers

| Length L mm | Walnut | Birch |
|-----------------|------------|------------|
| 126 (4 15/16") | 556.49.750 | 556.49.850 |
| 190 (7 1/2") | 556.49.751 | 556.49.851 |
| 478 (18 13/16") | 556.49.752 | 556.49.852 |

Container

Material: glass; Lid: stainless steel

| | apacity (Gal) | Item No. |
|---|------------------|------------|
| 1 | .7 (0.5) | 557.47.150 |

Container holder

| Thickness mm | Walnut | Birch |
|--------------|------------|------------|
| 16 (5/8") | 557.47.740 | 557.47.840 |





Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate.

Fineline

Kitchenware and plate organization

- > Your choice of natural walnut or birch
- > Easily trimmed to fit most drawers
- > Walnut provides a beautiful contrast in maple drawer boxes
- > Patented Fineline design
- > Base plate may be used as drawer bottom
- > A large variety of accessories to choose from for increased storage and functionality
- > Beautiful mix of natural wood, stainless steel and aluminum
- > Elegantly tapered dividers for a distinguished "Fineline" look

Base plate

Material: MDF veneer

| Dim. A mm | Walnut | Birch |
|--------------|------------|------------|
| 864 (34") | 557.47.710 | 557.47.810 |
| 1016 (40") | 556.87.640 | 556.87.940 |

Supplied with

4 bumpers

Base plate kit

Material: MDF veneer

| Description | Walnut | Birch |
|-------------|------------|------------|
| _ | 557.47.702 | 557.47.801 |

Supplied With

12 posts

Post

| Description | Walnut | Birch |
|-------------|------------|------------|
| _ | 557.47.692 | 557.47.892 |

Supplied with

4 posts 4 locking nuts 4 push-in pins

Plate holders

Material: walnut or birch; Handle: stainless steel

| W x D x H mm | Walnut | Birch |
|--|------------|------------|
| 340 x 180 x 180 (13 3/8" x 7 1/16" x 7 1/16") | 557.47.780 | 557.47.880 |

Kitchen Solutions-FG, HCN-en, Dimensional data not binding. We reserve the right to atter specifications without notice. Dimensions in mm. Inches are approximate.

Fineline

Move

- > Configure drawer organization with boxes in different sizes
- > Compartments can be arranged in a variety of sizes by stepless horizontal movement
- > Non-slip mats on the cabinet bottom allow for empty spaces within the drawer
- > The Fineline Move is elegant and very strong; the dividers taper down to a wider base where they are glued and stapled in place resulting in beautiful and durable joinery



Cutlery box 1

> Can be used with a cutlery tray, multipurpose insert or

Cutlery Box 2

> A typical 534 mm (21") deep drawer will use 4 pieces of Cutlery Box 1

> W x D x H: 105.5 x 300 x 49 mm

(4 1/8" x 11 13/16" x 1 15/16")

Material: wood

| Description | Item No. |
|-------------|------------|
| walnut | 556.88.720 |
| birch | 556.88.220 |

Cutlery box 2

> Can be used with a cutlery tray, multipurpose insert or with

Cutlery Box 1

> A typical 534 mm (21") deep drawer will use 2 pieces of Cutlery Box 2

> W x D x H: 211 x 300 x 49 mm

(8 5/16" x 11 13/16" x 1 15/16")

Material: wood

| Material. Wood | | |
|----------------|------------|--|
| Description | Item No. | |
| walnut | 556.88.721 | |
| birch | 556.88.221 | |



Kitchen storage box 1

- > Used for organization and storage in deep drawers
- > Handles on the box allow for easy removal as needed
- > Use with Storage Box 2 for the optimal storage solution
- > W x D x H: 211.5 x 423.5 x 120 mm

(8 5/16" x 16 11/16" x 4 3/4")

Material: wood

| Description | Item No. |
|-------------|------------|
| walnut | 556.88.730 |
| birch | 556.88.230 |

Kitchen storage box 2

- > Used for organization and storage in deep drawers
- > Handles on the box allow for easy removal as needed
- > Use with Storage Box 1 for the optimal storage solution
- > W x D x H: 211.5 x 211.5 x 120 mm

(8 5/16" x 8 5/16" x 4 3/4")

Material: wood

| l | Description | Item No. |
|---|-------------|------------|
| | walnut | 556.88.731 |
| | birch | 556.88.231 |







ACCESSORIES

06

MAXIMIZING KITCHEN **FUNCTIONALITY**

When utilized properly, kitchen accessories can maximize storage space and keep the kitchen organized and efficient.

The new pull-out spice racks come in various sizes and maximize storage space. Appliance lifts and pull-out tables help keep the kitchen organized and efficient. The Hailo step stool comes in handy when the top of the cabinet needs to be reached.





Kitchen Accessories

Pull-Out Spice Racks











- > Installs in under 5 minutes
- > Sized to fit most 457 and 610 mm (18" and 24") wide face frame
- > 57 and 76 mm (2" and 3") width compartments hold up to 3 kg (7
- > 102, 127 and 152 mm (4", 5" and 6") compartment widths hold up to 9 kg (20 lbs.)
- > Unique upper cabinet design keeps supplies close to cooking and prep areas

> Depth: 273 mm (10 3/4")

Material: Textured ABS/Stainless Steel/Birch

| Unit width | Base plate width | Height | Item No. |
|--------------|------------------|---------------|------------|
| 60 (2 3/8") | 64 (2 1/2") | 273 (10 3/4") | 545.06.150 |
| 83 (3 1/4") | 86 (3 3/8") | 273 (10 3/4") | 545.06.151 |
| 102 (4") | 105 (4 1/8") | 273 (10 3/4") | 545.06.152 |
| 127 (5") | 130 (5 1/8") | 146 (5 3/4") | 545.06.153 |
| 149 (5 7/8") | 152 (6") | 146 (5 3/4") | 545.06.154 |

> D × H: 273 x 273 mm (10 3/4" × 10 3/4")

Material: Textured ABS/Stainless Steel/Birch

| Unit width | Cabinet width | Item No. |
|---------------|---------------|------------|
| 365 (14 3/8") | 457 (18") | 545.06.101 |
| 488 (19 1/4") | 610 (24" | 545.06.102 |

Kitchen Accessories

Protection rails





Straight rails

| Length mm | Installation | Material | Colour | Item No. |
|-------------------------------------|---------------|----------|--------------------------|------------|
| 300 | self-adhesive | aluminum | stainless steel coloured | 808.90.000 |
| | | | graphite black | 808.90.300 |
| 450 | self-adhesive | aluminum | stainless steel coloured | 808.90.001 |
| | | | graphite black | 808.90.301 |
| self-adhesive/for zinc screw fixing | | zinc | stainless steel coloured | 808.90.084 |
| | | | graphite black | 808.90.384 |

Supplied with

1 set, consists of 6 protection rails





Curved rails

| Length mm | Installation | Item No. |
|--------------|---------------|------------|
| 400 | self-adhesive | 808.90.062 |

Supplied with 1 set, consists of 6 protection rails





Circles

| Height mm | Installation | Item No. |
|--------------|---------------|------------|
| 3.5 | self-adhesive | 808.90.048 |

Supplied with
1 large circle
6 small circles
Mounting template





Kitchen Accessories

Mats



Under-sink mat

Material: flexible rubber

| Colour | Item No. |
|--------|------------|
| grey | 547.91.563 |

Note

Once rolled out the flexible rubber mat will lay completely flat. If needed, warm slightly with a blow dryer or heat gun on initial installation. Be careful not to overheat or melt the mat.



Fibre non-slip mat

Material: polystyrene

| Colour | Width | Item No. |
|------------------------|---------------|------------|
| | mm | |
| black | 501 (19 3/4") | 547.92.325 |
| black | 600 (23 5/8") | 547.92.326 |
| umbra grey (RAL 7022) | 501 (19 3/4") | 547.92.525 |
| umbra grey (RAL 7022) | 600 (23 5/8") | 547.92.526 |
| quartz grey (RAL 7039) | 501 (19 3/4") | 547.92.625 |
| quartz grey (RAL 7039) | 600 (23 5/8") | 547.92.626 |
| quartz grey (RAL 7039) | 740 (29 1/8") | 547.92.627 |



Flock non-slip mats

- > Luxurious, velvety finish
- > Cut-to-size non-slip mats prevent sliding or movement of items on shelves, drawers, etc.
- > Noise-dampening and vibration resistant
- > W × L: 590 × 1170 mm (23 1/4" × 46 1/16")

Material: Face: flock; Back: polystyrene

| | | _ | |
|-----------------|--|---|------------|
| Colour | | | Item No. |
| anthracite grey | | | 547.94.385 |
| black | | | 547.94.485 |

Note

Sold in sheets



Canvas non-slip mat

- > Cut-to-size non-slip mats prevent sliding or movement of items on shelves, drawers, etc...
- > Helps reduce noise
- > W x L: 600 x 1170 mm (23 5/8" x 46 1/16")

Material: Face: rubber: Back: polystyrene

| Colour | Item No. |
|-------------|------------|
| basalt grey | 547.94.672 |



Studded non-slip mat

Material: synthetic rubber with non-slip surface

| Colour | Item No. |
|-------------|------------|
| white | 547.90.719 |
| translucent | 547.90.412 |
| silver | 547.90.919 |
| grey | 547.90.509 |

> W x L: 600 x 1500 mm (23 5/8 x 59")

Material: synthetic rubber with non-slip surface

| Colour | Item No. |
|-------------|------------|
| white | 547.90.761 |
| translucent | 547.90.491 |
| silver | 547.90.901 |
| grey | 547.90.521 |



Weave non-slip mat

Material: Face: rubber; Back: polystyrene

| Colour | Item No. |
|-----------------------|------------|
| umbra grey (RAL 7022) | 547.92.536 |
| white | 547.92.736 |
| translucent | 547.93.492 |

Kitchen Accessories

Hailo Step-Fix step stool



Step Stool

- > Step stool opens easily > With 2 steps 200 x 300 mm (7 7/8" x 11 13/16") and non-slip rubber covered
- > All support points have anthracite plastic caps
- > Load bearing capacity: 150 kg (331 lb)

Material: steel; Colour: anthracite

| Model | Item No. |
|-------|------------|
| 4410 | 505.04.310 |

Supplied with

1 step stool

Operating instructions

Toe-kick bracket

- > Attaches to step stool and toe-kick > Use to slide under cabinet > A minimum of 100 mm (4") is required.

Material: steel

| Finish | Item No. |
|------------|------------|
| galvanized | 505.04.319 |

Hanging bracket

- > Screw mounts to cabinet side panel to show step stool
- > Length: 140 mm (5 1/2") > Depth: 30 mm (1 1/8") > Height: 35 mm (1 3/8")

Material: steel, epoxy-coated

| Colour | Item No. |
|-----------|------------|
| dark grey | 505.04.322 |

Kitchen Accessories

Appliance lift





Hardware mechanism

- > Kitchen appliances raise effortlessly with a gas cylinder assist and then lock securely into place
- > Can be outfitted with a custom block platform or a quality pre-made maple wood platform
- > Lift can be positioned at two different levels: flush with counter or 51 mm (2") below counter
- > Width W: platform surface + 64 mm (2 1/2")
- > Height H: 608 mm (23 61/64")
- > Depth D: maximum 330 mm (13") or platform depth

Material: steel

| Colour | Item No. |
|----------|------------|
| platinum | 504.20.900 |

Supplied with

- 1 right arm 1 left arm

Load capacity should not exceed 13 kg (30 lb)

Accessory basket

Material: Base: maple; Surround: steel; Finish: black

| W x D x H mm | Item No. |
|---|------------|
| 251 x 124 x 327 (9 7/8" x 4 7/8" x 12 7/8") | 504.20.199 |

Block platform

> Height: 38 mm (1 1/2") > Depth: 457 mm (18")

Material: maple

| Matorial: Maple | |
|-----------------|------------|
| Width mm | Item No. |
| 343 (13 1/2") | 504.20.190 |
| 419 (16 1/2") | 504.20.191 |

Kitchen Accessories

Pull-out table





Pull-out table fitting and folding fitting with folding table leg

- > For accommodating a pull-out table in place of a drawer
- > Seating for up to 7 people
- > For kitchen and living room furniture, can be installed in place of a drawer to provide a uniform front design
- > With folding table leg
- > Internal installation depth: ≥560 mm (22 1/32")
- > Internal installation height: Dim. $H \ge (83 \text{ mm} + 3x \text{ table top thickness})$
- > Load bearing capacity: approx. 60 kg (132.3 lb)

Material: Guide Profiles: aluminum; Finish: silver coloured anodized Table Leg: steel; Finish: white aluminum

| Internal Installation Width mm | Item No. |
|--------------------------------|------------|
| 562 (22 1/8") | 642.19.927 |
| 862 (33 15/16") | 642.19.928 |
| 1162 (45 3/4") | 642.19.929 |

Supplied with

1 fitting set

Note

Table top not supplied

Countertop supports



Square support

Material: steel; Finish: stainless steel look

| Dim. A mm | Item No. |
|----------------|------------|
| 170 (6 11/16") | 505.23.001 |
| 190 (7 1/2") | 505.23.002 |
| 230 (9 1/16") | 505.23.003 |

Supplied with Mounting hardware



Angled square support

| > Slanted 60° |
|---|
| Material: steel; Finish: stainless steel look |

| Dim. A mm | Item No. |
|----------------|------------|
| 170 (6 11/16") | 505.23.021 |
| 190 (7 1/2") | 505.23.022 |
| 230 (9 1/16") | 505.23.023 |

Supplied with Mounting hardware



Round support

Material: steel; Finish: stainless steel look

| Height mm | Item No. |
|---------------|------------|
| 230 (9 1/16") | 505.24.003 |

Supplied with Mounting hardware



Countertop Support

| > Side mount | | | |
|--------------------|-------|-------|-----|
| > Weight capacity: | 50 kg | (110) | lb) |

| Material. aluminum | | |
|--------------------|-----------------------|------------|
| Fini | Finish | Item No. |
| | silver, matt anodized | 505.14.956 |

Supplied with Mounting hardware



Countertop Support

| > Cour | itertop | mount | |
|--------|---------|-------|--|
| | | | |

> Weight capacity: 25 kg (55 lb)

Material: aluminum

| Finish | Item No. |
|-----------------------|------------|
| silver, matt anodized | 505.14.926 |

Supplied with

Mounting hardware

Kitchen Accessories

Towel racks



Towel rack, 2 bars

> Installed Width: 119 mm (4 11/16")

Material: Mounting Bracket and Inner Tube: steel, epoxycoated; Outer Bar: plastic, ribbed (non-slip)

| Colour | Item No. |
|--------|------------|
| white | 510.06.725 |

Towel rack, 3 bars

> Installed Width: 168 mm (6 5/8")

Material: Mounting Bracket and Inner Tube: steel, epoxycoated; Outer Bar: plastic, ribbed (non-slip)

| Colour | Item No. |
|--------|------------|
| white | 510.06.752 |



2 Bars, extendable

> W x H: under-mount: 65 x 73 mm (2 1/2" x 3") > W x H: side-mount: 91 x 38 mm (3 5/8" x 1 1/2")

> Depth: 460 mm (18 1/8")

Material: aluminum anodized or powder-coated

| Colour | Item No. |
|-----------------|------------|
| chrome | 510.54.221 |
| silver anodized | 510.54.921 |

Supplied with

2 precision plastic rollers

2 plastic end caps

3 Bars, extendable

> W x H: under-mount: 127 x 76 mm (5" x 3") > W x H: side-mount: 152 x 25.4 mm (6" x 1 1/2")

> Depth: 460 mm (18 1/8")

Material: aluminum anodized or powder-coated

| Colour | Item No. |
|-----------------|------------|
| chrome | 510.54.232 |
| silver anodized | 510.54.932 |

Supplied with

3 precision plastic rollers 3 plastic end caps





BACKSPLASH SOLUTIONS

07

MAXIMIZING BACKSPLASHES

AluSplash® by Häfele is an innovative backsplash solution known for its sleek and modern design.

Featuring lightweight, aluminum-based panels in a range of matte and high-gloss finishes catering to different aesthetics, AluSplash® is eco-friendly, easy to clean, and fire-resistant, ensuring safety and sustainability in the kitchen.





AluSplash® by Häfele

AluSplash® by Hafele is a versatile choice for those looking for an affordable yet durable kitchen backsplash system. It's perfectly smooth surface, high-gloss or matte finish options and vibrant colour range will make any kitchen stand out from the rest!







Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate.





Simply Beautiful.

AluSplash® is the innovative backsplash for the kitchen. The lightweight aluminum-based panels with easy-care surface come in either a shiny glass look or matt structured finish. The extensive modern colour range offers the right nuance for every environment.

AluSplash® is the elegant and cost-effective solution for new construction, renovation or redesign of kitchens and is also perfectly suited for covering existing tiled walls.

Simply Fast.

AluSplash® can be attached to the wall in no time at all and be easily processed: The 4 mm thin panels are easy to cut to size and can be mounted 90° around edges for seamless fitting. Cut-outs for sockets or other devices can be easily made with conventional tools. To attach the panels use a combination of mirror tape and silicone as well as aluminum profiles. The panels can be joined almost seamlessly using a joining

* Installation material sold separately.

Simply Safe.

AluSplash® has a fire-resistant mineral core that complies with various international fire protection regulations** and is therefore suitable for use behind any type of hob, including gas cooktops. AluSplash® panels are also break-proof, durable and long-lasting.

** Fire resistant material according to EN-13501, BS 476 P6 & P7, ASTM E-84, AS/NZ 1530.3.

Minimum distance from cooktop to AluSplash®


Simply Clean.

The seamless and smooth surface of AluSplash® prevents dirt accumulation and is therefore hygienic, easy to clean and quick to maintain.

For cleaning and protecting the shiny AluSplash® panels, Vuplex® Spray is suitable. It protects the panel surface from grease splashes and dirt deposits, so that cleaning with just a damp cloth is sufficient. Scratching or abrasive cleaning agents or utensils should be avoided.

AluSplash® by Häfele

Shiny Surface (Metallic)



The Elegance Collection


The Elegance Collection adds a sophisticated touch to any modern interior, blending advanced functionality with elevated style.

Each panel subtly incorporates intricate metallic flakes that reflect beautifully in the light, displaying a truly luxurious finish. This collection has been made with style in mind, without compromising on quality or design. AluSplash® can be easily combined with sleek surfaces, modern cabinetry and appliances to create a seamlessly luxe finish to all contemporary interior spaces.

A modern alternative to glass, acrylic and tiled backsplashes; the high-gloss Elegance collection is thoroughly versatile and eco-friendly.

Our colour palette has been created to include beautiful earthy and neutral colours, as well as vibrant and bold accent hues to suit any interior colour scheme.

| Colour | Dimension mm | Item No. |
|----------------|--------------|------------|
| Sandy Steps | 3050 x 610 | EG4 G4 000 |
| Arctic White | 3050 X 610 | 564.64.033 |
| Stardust Black | 0050 010 | EC4 C4 0E0 |
| First Frost | 3050 x 610 | 564.64.053 |
| Graphite Grey | 0050 × 010 | FC4 C4 000 |
| Space Silver | 3050 x 610 | 564.64.083 |
| Winter Dreams | 2050 610 | FC4 C4 000 |
| Silver Brush | 3050 x 610 | 564.64.093 |





AluSplash® by Häfele

Matte Textured Surface

The Elements Collection


This exclusive collection embodies the true essence of the four main elements found in nature: Earth, Water, Air and Fire to create matt textured backsplash panels.

Influenced by the textures of these elements, we have developed a coarse finish that forms the surface of the "Elements" collection to represent the perfectly imperfect, natural and beautiful textures found in nature.

In addition to the plain colours, we have designed marble and concrete finishes in-line with the collection. We have carefully curated the colour palette for this collection to bring each of these four elements into your interior space by selecting a range of colours that best represent the individual elements.

| Colour | Dimension mm | Item No. |
|---------------|--------------|------------|
| Black Sand | 3050 x 610 | EG4 G4 110 |
| Autumn Leaves | 3030 X 010 | 564.64.113 |
| Pebble Stone | 3050 x 610 | 564.64.193 |
| Iceberg White | 3030 X 010 | |
| Lava Stone | 3050 x 610 | 564.64.163 |
| Smoked Ember | | |





AluSplash® by Häfele

Profiles

We offer an exclusive range of aluminum edge finishing profiles in silver or anthracite dark grey that helps to cover exposed edges for a sleek, clean look. All profiles come with pre-applied double sided 3M tape. AluSplash® profiles add an additional 1 mm thickness at the back of the installed panels, so that the sealant can flow and dry correctly for a strong bond to the wall.



Edge Profile

> Our sleek and minimalistic L shaped profile helps to cover the exposed edges of an AluSplash® backsplash to give your kitchen a perfect and professional looking finish.

| Colour | Dimension mm | Item No. |
|------------|--------------|------------|
| Silver | 3050 | 564.53.919 |
| Anthracite | 3050 | 564.53.319 |



Worktop Profile

> This profile has been specially designed to be used between the worktop and an AluSplash® backsplash. The profile is curved, making cleaning easier and keeping your kitchen worktop hygienic.

| Colour | Dimension mm | Item No. |
|------------|--------------|------------|
| Silver | 3050 | 564.53.599 |
| Anthracite | 3050 | 564.53.539 |



Joining Strip Profile

> The joining strip is used on the back of the panel to connect two panels seamlessly together.

| Colour | Dimension mm | Item No. |
|--------|--------------|------------|
| Silver | 540 | 564.53.998 |



External Corner Profile

> This smart aluminum corner profile connects two AluSplash® panels in an external corner installation. It can also be used when boxing around pipes or columns in combination with the internal corner profiles.

| Colour | Dimension mm | Item No. |
|------------|--------------|------------|
| Silver | 610 | 564.53.891 |
| Anthracite | 610 | 564.53.931 |



Internal Corner Profile

> The internal corner profile connects two AluSplash® panels in an internal corner installation. It can also be used when boxing around pipes or columns in combination with our external corner profiles.

| Colour | Dimension mm | Item No. |
|------------|--------------|------------|
| Silver | 610 | 564.53.991 |
| Anthracite | 610 | 564.53.831 |

AluSplash® by Häfele

Care and Maintenance

AluSplash® panels are vigorously tested for various aspects of functionality and durability. However, like most wall surfaces it is imperative that the panel be cared for and maintained correctly to ensure it retains its aesthetic look, colour, gloss and surface finish.

| DO | | DO NOT |
|---|---|---|
| The panel surface must be cleaned regularly with lukewarm water and micro fibre cloth only. | 8 | Metal pot scrubbing pads or any other abrasive cleaners should not be used on the panel surface. Avoid cleaning the surface with kitchen paper rolls as they can also cause micro scratching. |
| For added protection and to enhance the life of your AluSplash® panels, we highly recommend protecting the panel surface with Vuplex for High Gloss finishes and Matte Maxx for matte finishes to prevent the panel surface from any micro-scratching or buildup of dirt and grime. | 8 | Do not use acidic, caustic or abrasive cleaning detergents or materials to clean the panel surface. |
| For stubborn stains you may use a mild detergent to gently clean the panel surface with a micro fibre cloth only. | 8 | Detergents with bleach or home remedy solutions such as baking soda, or other stain removing gels, powders, liquids or materials should not be used on the panel surface. |



VUPLEX Anti-Static Cleaner - Glossy

| Description | Item No. |
|-------------|------------|
| | 007.32.139 |



VUPLEX Anti-Static Cleaner - Matt

| Description | Item No. |
|-------------|------------|
| | 007.32.136 |

AluSplash® by Häfele

Accessories

| Description | Required | Optional | Item No. |
|-------------------------|----------|----------|------------|
| 90° V-Groove Router Bit | X | | 002.19.280 |
| Jigsaw Blade | | X | 000.70.369 |
| Mirror Tape | X | | 003.58.211 |
| Joint Sealant | | X | 003.50.110 |
| Sanding Pad P100 | | X | 005.48.110 |
| Sanding Pad P120 | | X | 005.48.112 |
| Sanding Pad P150 | | X | 005.48.115 |
| Sanding Pad P180 | | X | 005.48.118 |
| Spacer Plates 2mm | | X | 051.93.012 |
| Disposable Gloves | | X | 007.64.153 |
| Masking Tape | | X | 007.81.436 |
| Masking Tape | | X | 007.82.015 |
| Bessey Seaming Tool | | X | 006.69.000 |







DECORATIVE HARDWARE

08

MAXIMIZING DESIGN

Meet the H23 collection, with exclusive Häfele designs from several decades of history – from Bauhaus to mid-century to post-modernism. The licensed reproductions are based on original patterns and drawings by Jens Risom, Bodil Kjaer, Paul McCobb, August Schatte, Nanna Ditzel, Michael Graves, Dieter Rams and Jasper Morrison.

With a nod to these internationally renowned designers, this collection serves as the finishing touch that elevates aesthetic appeal, adding a touch of style and personality to the overall space. Beyond its visual impact, well-chosen hardware enhances the functionality of cabinets and drawers.









H23 Series

H2305









| Finish | Dim. mm | Hole spacing mm | Item No. |
|--------------------------|----------|-----------------|------------|
| | 108 x 32 | 96 | 106.70.380 |
| matt black | 140 x 32 | 128 | 106.70.381 |
| man black | 172 x 32 | 160 | 106.70.382 |
| | 204 x 32 | 192 | 106.70.383 |
| | 108 x 32 | 96 | 106.70.390 |
| brushed nickel plated | 140 x 32 | 128 | 106.70.391 |
| brusilied flicker plated | 172 x 32 | 160 | 106.70.392 |
| | 204 x 32 | 192 | 106.70.393 |
| | 108 x 32 | 96 | 106.70.400 |
| brushed gold | 140 x 32 | 128 | 106.70.401 |
| | 172 x 32 | 160 | 106.70.402 |
| | 204 x 32 | 192 | 106.70.403 |

H23 Series H2310 and H2315









H2310

| Finish | Dim. mm | Item No. |
|-----------------------|---------|------------|
| matte black | 50 x 30 | 106.70.410 |
| brushed nickel plated | 50 x 30 | 106.70.411 |
| brushed gold | 50 x 30 | 106.70.412 |







H2315

| Finish | Dim. mm | Item No. |
|-----------------------|---------|------------|
| matte black | 80 x 25 | 106.70.420 |
| brushed nickel plated | 80 x 25 | 106.70.421 |
| brushed gold | 80 x 25 | 106.70.422 |







H2320 and H2325







H2320

| Finish | Dim. mm | Hole spacing mm | Item No. |
|-------------------------|----------|-----------------|------------|
| | 118 x 29 | 96 | 106.70.320 |
| mette bleek | 150 x 29 | 128 | 106.70.321 |
| matte black | 182 x 29 | 160 | 106.70.322 |
| | 214 x 29 | 192 | 106.70.323 |
| | 118 x 29 | 96 | 106.70.330 |
| | 150 x 29 | 128 | 106.70.331 |
| brushed nickel plated | 182 x 29 | 160 | 106.70.332 |
| | 214 x 29 | 192 | 106.70.333 |
| | 118 x 29 | 96 | 106.70.340 |
| la musta a al las a lal | 150 x 29 | 128 | 106.70.341 |
| brushed gold | 182 x 29 | 160 | 106.70.342 |
| | 214 x 29 | 192 | 106.70.343 |
| | 118 x 29 | 96 | 106.70.350 |
| | 150 x 29 | 128 | 106.70.351 |
| graphite | 182 x 29 | 160 | 106.70.352 |
| | 214 x 29 | 192 | 106.70.353 |
| | 118 x 29 | 96 | 106.70.360 |
| titanium | 150 x 29 | 128 | 106.70.361 |
| | 182 x 29 | 160 | 106.70.362 |
| | 214 x 29 | 192 | 106.70.363 |









| Finish | Dim. mm | Item No. |
|-----------------------|---------|------------|
| matte black | 24 x 29 | 106.70.370 |
| brushed nickel plated | 24 x 29 | 106.70.371 |
| brushed gold | 24 x 29 | 106.70.372 |
| graphite | 24 x 29 | 106.70.373 |
| titanium | 24 x 29 | 106.70.374 |







H23 Series H2330 and H2335





| Finish | Dim. mm | Hole spacing mm | Item No. |
|-----------------------|----------|-----------------|------------|
| | 114 x 32 | 96 | 106.70.430 |
| matte black | 146 x 32 | 128 | 106.70.431 |
| | 178 x 32 | 160 | 106.70.432 |
| | 114 x 32 | 96 | 106.70.440 |
| brushed nickel plated | 146 x 32 | 128 | 106.70.441 |
| | 178 x 32 | 160 | 106.70.442 |
| | 114 x 32 | 96 | 106.70.450 |
| brushed gold | 146 x 32 | 128 | 106.70.451 |
| | 178 x 32 | 160 | 106.70.452 |
| | 114 x 32 | 96 | 106.70.460 |
| graphite | 146 x 32 | 128 | 106.70.461 |
| | 178 x 32 | 160 | 106.70.462 |
| matte black | 118 x 29 | - | 106.70.470 |
| brushed nickel plated | 150 x 29 | - | 106.70.471 |
| brushed gold | 182 x 29 | - | 106.70.472 |
| graphite | 214 x 29 | - | 106.70.473 |

H2340 and H2345







H2340

| Finish | Dim. mm | Hole spacing mm | Item No. |
|-----------------------|----------|-----------------|------------|
| titanium | 140 x 30 | 128 | 106.70.640 |
| | 172 x 30 | 160 | 106.70.641 |
| brushed nickel plated | 140 x 30 | 128 | 106.70.650 |
| | 172 x 30 | 160 | 106.70.651 |



| Finish | Dim. mm | Hole spacing mm | Item No. |
|-----------------------------|----------|-----------------|------------|
| gold bronze | 136 x 29 | 128 | 106.70.660 |
| gold bronze | 168 x 29 | 160 | 106.70.661 |
| polished chrome plated | 136 x 29 | 128 | 106.70.670 |
| polisi led crirorrie plated | 168 x 29 | 160 | 106.70.671 |
| antique brass plated | 136 x 29 | 128 | 106.70.680 |
| artique prass plated | 168 x 29 | 160 | 106.70.681 |









H2350 and H2355





| Finish | Dim. mm | Hole spacing mm | Item No. |
|-----------------------|----------|-----------------|------------|
| reactte blook | 180 x 31 | 128 | 106.70.560 |
| matte black | 244 x 31 | 192 | 106.70.561 |
| hand pickel plated | 180 x 31 | 128 | 106.70.570 |
| brushed nickel plated | 244 x 31 | 192 | 106.70.571 |
| | 180 x 31 | 128 | 106.70.580 |
| brushed gold | 244 x 31 | 192 | 106.70.581 |
| matte black | 52 x 31 | - | 106.70.590 |
| brushed nickel plated | 52 x 31 | - | 106.70.591 |
| brushed gold | 52 x 31 | - | 106.70.592 |

H2360 and H2365





H2360

| Finish | Dim. mm | Hole spacing mm | Item No. |
|-----------------------|----------|-----------------|------------|
| matte black | 188 x 27 | 128 | 106.70.480 |
| Thatte black | 257 x 27 | 192 | 106.70.481 |
| brushed pickel plated | 188 x 27 | 128 | 106.70.490 |
| brushed nickel plated | 257 x 27 | 192 | 106.70.491 |
| bruphed gold | 188 x 27 | 128 | 106.70.500 |
| brushed gold | 257 x 27 | 192 | 106.70.501 |



| Finish | Dim. mm | Item No. |
|-----------------------|---------|------------|
| matte black | 60 x 27 | 106.70.510 |
| brushed nickel plated | 60 x 27 | 106.70.511 |
| brushed gold | 60 x 27 | 106.70.512 |













H2370

| Finish | Dim. mm | Hole spacing mm | Item No. |
|-------------------------|----------|-----------------|------------|
| matte black | 108 x 30 | 96 | 106.70.520 |
| matte black | 140 x 30 | 128 | 106.70.521 |
| he shad piakal platad | 108 x 30 | 96 | 106.70.530 |
| brushed nickel plated | 140 x 30 | 128 | 106.70.531 |
| poliched obverse plated | 108 x 30 | 96 | 106.70.540 |
| polished chrome plated | 140 x 30 | 128 | 106.70.541 |



| Finish | Dim. mm | Item No. |
|------------------------|---------|------------|
| matte black | 37 x 30 | 106.70.550 |
| brushed nickel plated | 37 x 30 | 106.70.551 |
| polished chrome plated | 37 x 30 | 106.70.552 |



H23 Series H2380 and H2385





H2380

| Finish | Dim. mm | Hole spacing mm | Item No. |
|-----------------------|----------|-----------------|------------|
| | 136 x 28 | 96 | 106.70.270 |
| matte black | 168 x 28 | 128 | 106.70.271 |
| | 200 x 28 | 160 | 106.70.272 |
| | 232 x 28 | 192 | 106.70.273 |
| | 136 x 28 | 96 | 106.70.280 |
| brushed pickel plated | 168 x 28 | 128 | 106.70.281 |
| brushed nickel plated | 200 x 28 | 160 | 106.70.282 |
| | 232 x 28 | 192 | 106.70.283 |
| | 136 x 28 | 96 | 106.70.290 |
| brushed gold | 168 x 28 | 128 | 106.70.291 |
| brushed gold | 200 x 28 | 160 | 106.70.292 |
| | 232 x 28 | 192 | 106.70.293 |
| | 136 x 28 | 96 | 106.70.300 |
| ave a la ita | 168 x 28 | 128 | 106.70.301 |
| graphite | 200 x 28 | 160 | 106.70.302 |
| | 232 x 28 | 192 | 106.70.303 |



| Finish | Dim. mm | Item No. |
|-----------------------|---------|------------|
| matte black | 27 x 28 | 106.70.310 |
| brushed nickel plated | 27 x 28 | 106.70.311 |
| brushed gold | 27 x 28 | 106.70.312 |
| graphite | 27 x 28 | 106.70.313 |









H2390 and H2395










H2390

| Finish | Dim. mm | Hole spacing mm | Item No. |
|------------------------|----------|-----------------|------------|
| polished chrome plated | 137 x 31 | 128 | 106.70.600 |
| brushed nickel plated | 137 x 31 | 160 | 106.70.601 |
| brushed gold | 137 x 31 | 128 | 106.70.602 |



| Finish | Dim. mm | Hole spacing mm | Item No. |
|-----------------------------|----------|-----------------|------------|
| | 148 x 30 | 128 | 106.70.610 |
| matte black | 180 x 30 | 160 | 106.70.611 |
| hu sala ad mialval ralata d | 148 x 30 | 128 | 106.70.620 |
| brushed nickel plated | 180 x 30 | 160 | 106.70.621 |
| dadepartar | 148 x 30 | 128 | 106.70.630 |
| dark pewter | 180 x 30 | 160 | 106.70.631 |







LIGHTING


09

MAXIMIZING LIGHTING

Loox Lighting is an innovative and versatile LED solution for both residential and commercial applications.

This product range operates at 24 volts and includes new accessories such as wireless wall switches, wireless controls and motion detectors. Discover a range of LED light strips, profiles, switches, distributors, adaptors, remote controls and drivers.





Light is plannable.

The need to observe only a few planning steps structures and simplifies the planning of lighting in furniture.



Illuminating.

At the start of the development process, determine the lighting purposes of the furniture (multiple choices possible)

- > Task light for pleasant and safe working
- > Ambient light for highlighting or staging
- > Accent light for storage spaces or paths

Also take into account the overall brightness of the room and the finishes to be illuminated: Sufficiently bright ceiling lighting or sunlight makes the orientation light unnecessary during the day, but at night it may be very pleasant if the ceiling lighting does not need to be used and a few furniture pieces provide some orientation light.

For confidence in the planning process, test lighting and finishes or use bright lighting with dimmers to achieve a balance of incident light and reflection.

The form factor of a light (linear, point) and the number used affects the planarity of the illumination. Light colour, installation type, position on the cabinet, and alignment are further criteria to select the perfect light.



Extending.

Häfele Loox5 drivers supply not only lights, but also charging stations (inductive and USB), audio systems, as well as electrically operated flap fittings, sliding doors, or TV lifts. Take advantage of the potential of Häfele Loox5. Create furniture that can do more than simply look good.





Switching.

Plan switch requirements and switch positions. Simple mechanical switches or convenient sensors and dimmers can be grouped together by means of multi-driver or multi-switch boxes to conveniently operate lights from a single location or from different locations.



Networking.

The Häfele Connect Mesh 6-way distributor is the central element for controlling monochrome lights, multi-white lights, or RGB lights individually or jointly. 6-way distributors can be networked. They can be controlled by remote control, wall-mounted push button, or app.



Distributing.

Plan the concealed cable routing and provide holes, grooves, or panels. An extensive range of extension leads and distributors facilitates suitable cabling of your project.



Supplying.

Add up the wattage of all lights and other devices. If necessary, take into account possible later expansions and select a driver of the appropriate performance class. Lights of the same voltage type or current may be connected to a common driver. Converters are also available and are necessary if lights with different voltage types and currents will share a driver.

Choose a distributor for your current needs (with or without switching function or with Häfele Connect Mesh).



Recessed LED strip lights

Monochrome, 8 mm (5/16")

- > Equipped with high-quality Samsung® LEDs
- > Mounting: recessed
- > Dimmable: yes
- > Lifespan L80/B10: >50,000 h
- > Colour rendering index (CRI) R_a: >90, (CRI) R₉: >50
- > Protection class: IP20



- > Model 3042
- > 4.8 W/m
- > Maximum length is 12m (472 7/16")

Colour temperature

| | Item No. |
|-------|------------|
| 2700K | 833.76.316 |
| 3000K | 833.76.317 |
| 4000K | 833.76.318 |
| 5000K | 833.76.319 |


18 AWG connection lead for 3042/3045 strip lights

| Length | Item No. |
|----------------|------------|
| 2.0m (78 3/4") | 833.95.706 |

Silver coloured 1103 recessed aluminum profile for Loox5 LED lighting with white opal diffuser

| Description | Length | Item No. |
|---------------------------|------------------|------------|
| Recessed aluminum profile | 2.5m (98. 7/16") | 833.94.100 |
| Profile endaps | | 833.95.766 |

Recessed soft on/off touch-free dimmer switch with memory function





| Description | Item No. |
|----------------------|------------|
| Dimmer switch | 833.89.126 |
| Modular switch cable | 833.89.142 |

Power and distribution

| Description | Item No. |
|----------------------|------------|
| 90 Watt Driver | 833.95.003 |
| Required distributor | 833.77.833 |
| Power cord | 833.89.003 |



IP20

High Intensity LED strip

- > Model 3045
- > 9.6 W/m
- > Maximum length is 8m (314 15/16")

Colour temperature

| | Item No. |
|-------|------------|
| 2700K | 833.76.334 |
| 3000K | 833.76.335 |
| 4000K | 833.76.336 |
| 5000K | 833.76.337 |





Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate.

Surface mounted LED strip lights

Monochrome, 8 mm (5/16")

- > Equipped with high-quality Samsung® LEDs
- > Mounting: self-adhesive or screw on through profile
- > Dimmable: yes
- > Lifespan L80/B10: >50,000 h
- > Colour rendering index (CRI) Ra: >90, (CRI) R9: >50
- > Protection class: IP20

Medium Intensity LED strip

- > Model 3042
- > 4.8 W/m
- > Maximum length is 12m (472 7/16")

18 AWG connection lead for 3042/3045 strip lights

| Length | Item No. |
|----------------|------------|
| 2.0m (78 3/4") | 833.95.706 |

Colour temperature

| | Item No. |
|-------|------------|
| 2700K | 833.76.316 |
| 3000K | 833.76.317 |
| 4000K | 833.76.318 |
| 5000K | 833.76.319 |

2101 surface mounted aluminum profiles with white opal diffuser

| Finish | Item No. |
|---|------------|
| Black | 833.94.111 |
| Brushed stainless steel coloured | 833.94.112 |
| Silver coloured | 833.94.110 |
| Double-sided munting tape for 2101 profiles above | 833.89.266 |

Square Surface mounted soft on/off touch-free dimmer switch with memory function

> 40mm x 40mm x 8.5mm



| Description | Item No. |
|-------------------------------|------------|
| Silver coloured dimmer switch | 833.89.134 |
| modular switch cable | 833.89.142 |

Power and distribution

| Finish | Item No. |
|----------------------|------------|
| 90 Watt Driver | 833.95.003 |
| Required distributor | 833.77.833 |
| Power cord | 833.89.003 |



High Intensity LED strip

- > Model 3045
- > 9.6 W/m
- > Maximum length is 8m (314 15/16")

Colour temperature

| | Item No. |
|-------|------------|
| 2700K | 833.76.334 |
| 3000K | 833.76.335 |
| 4000K | 833.76.336 |
| 5000K | 833.76.337 |

Endcaps for 2101 surface mounted profiles

| Finish | Item No. |
|----------------------------------|------------|
| Black | 833.95.775 |
| Brushed stainless steel coloured | 833.95.776 |
| Silver coloured | 833.95.774 |

For the complete range of products please refer to the Loox5 catalogue. Hover your mouse over this text to click on the hyperlink.







- > Dimmable
- > Recessed mounted; 58mm diameter drilling hole
- > Metal housing in 6 colours
- > High Intensity
- > Lifespan L80/B10: >50,000 h
- > Colour rendering index (CRI) Ra: >90, (CRI) R9: >50
- > 3.4Watts each
- > Protection class: IP20



1.5A /24V AWG cable for modular 3092 light

| Length | Item No. |
|----------------|------------|
| 2.0m (78 3/4") | 833.95.791 |



Polished

Colour temperature

| | Item No. |
|-------|------------|
| 2700K | 833.75.174 |
| 3000K | 833.75.175 |
| 4000K | 833.75.176 |
| 5000K | 833.75.177 |





Recess mounted round trim rings

| Finish | Item No. |
|--------------------------|------------|
| Silver coloured | 833.72.500 |
| Black | 833.72.501 |
| White | 833.72.502 |
| Polished chrome coloured | 833.72.503 |
| Brass coloured | 833.72.504 |
| Copper coloured | 833.72.505 |





Square recessed, round and square surface mount trim rings



| Description | Item No. |
|---|------------|
| Silver coloured recessed door sensor switch | 833.89.128 |
| modular switch cable | 833.89.142 |

Power and distribution



| Description | Item No. |
|---|------------|
| 90 Watt Driver | 833.95.003 |
| 3 switch / 6 output distributor for drawer lights | 833.95.829 |
| Power cord | 833.89.003 |

For the complete range of products please refer to the Loox5 catalogue. Hover your mouse over this text to click on the hyperlink.







Rec

Recessed LED strip lights

Monochrome, 8 mm (5/16")

- > Equipped with high-quality Samsung® LEDs
- > Mounting: recessed profile in 13mm (width) x 11.5mm (depth) groove
- > Dimmable: yes
- > Lifespan L80/B10: >50,000 h
- > Colour rendering index (CRI) Ra: >90, (CRI) R9: >50
- > Protection class: IP20



Medium Intensity LED strip

- > Model 3042
- > 4.8 W/m
- > Maximum length is 12m (472 7/16")

Colour temperature

| | Item No. |
|-------|------------|
| 2700K | 833.76.316 |
| 3000K | 833.76.317 |
| 4000K | 833.76.318 |
| 5000K | 833.76.319 |

18 AWG connection lead for 3042/3045 strip lights

| Length | Item No. |
|----------------|------------|
| 2.0m (78 3/4") | 833.95.706 |

18 AWG interconnecting lead to connect one LED strip to another

| Length | Item No. |
|-------------------|------------|
| 50mm (2") | 833.89.191 |
| 500mm (19 11/16") | 833.89.192 |
| 2000mm (78 3/4") | 833.89.193 |

1103 surface mounted aluminum profiles with white opal diffuser for Loox5 LED lighting

> 2.5m (98 7/16")

| Description | Finish | Item No. |
|-------------|--------|------------|
| Profile | Black | 833.94.201 |
| Profile | Silver | 833.94.200 |

Recessed soft on/off touch-free dimmer switch with memory function

> 11.8mm diameter x 46mm length



| Description | Item No. |
|----------------------|------------|
| silver dimmer switch | 833.89.126 |
| modular switch cable | 833.89.142 |

Power and distribution

| Description | Item No. |
|----------------------|------------|
| 90 Watt Driver | 833.95.003 |
| Required distributor | 833.77.833 |
| Power cord | 833.89.003 |

High Intensity LED strip

- > Model 3045
- > 9.6 W/m
- > Maximum length is 8m (314 15/16")

Colour temperature

| | Item No. |
|-------|------------|
| 2700K | 833.76.334 |
| 3000K | 833.76.335 |
| 4000K | 833.76.336 |
| 5000K | 833.76.337 |

Endcaps for 1103 recessed profiles

> 2.5m (98 7/16")

| Description | Finish | Item No. |
|-------------|--------|------------|
| Endcaps | Black | 833.95.767 |
| Endcaps | Silver | 833.95.766 |

Profiles for surface mounting

Häfele Loox drawer profile

- > Inside of drawer is illuminated when drawer is opened
- > Componenents, standard widths and custom sizes are available
- > Equipped with high-quality Samsung® LEDs
- > Mounting: brackets
- > Lifespan L80/B10: >50,000 h
- > Colour rendering index (CRI) Ra: >90, (CRI) R9: >50
- > Protection class: IP20



Medium Intensity LED strip

- > Model 3042
- > 4.8 W/m
- > Maximum length is 12m (472 7/16")

18 AWG connection lead for 3042/3045 strip lights

| Length | Item No. |
|----------------|------------|
| 2.0m (78 3/4") | 833.95.706 |

Colour temperature

| | Item No. |
|-------|------------|
| 2700K | 833.76.316 |
| 3000K | 833.76.317 |
| 4000K | 833.76.318 |
| 5000K | 833.76.319 |

2194 Drawer profile

> 2.5m (98 7/16")

| Description | Item No. |
|--|------------|
| Silver coloured drawer profile | 833.74.835 |
| Mounting bracket set (stainless steel with screws) | 833.74.893 |

Endcap set for 2194

| Description | Item No. |
|--|------------|
| Endcap set for 2194 surface mounted profiles | 833.74.877 |

Silver coloured inline door sensor switch

| Length | Item No. |
|----------------|------------|
| 2.0m (78 3/4") | 833.89.134 |

Power and distribution



| Description | Item No. |
|---|------------|
| 90 Watt Driver | 833.95.003 |
| Required distributor | 833.77.833 |
| Power cord | 833.89.003 |
| 3 switch / 6 output distributor for drawer lights | 833.95.829 |

For the complete range of products please refer to the Loox5 catalogue. Hover your mouse over this text to click on the hyperlink.





Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate.

Toe-kick Lighting

Monochrome, 8 mm (5/16")

- > Tunable white (mulit-white) lighting
- > Ideal when changing colour temprature (warm to cool) is needed







Medium Intensity LED strip

- > Model 3044
- > 4.8 W/m
- > Tunable colour temperature
- > Drill through profile mounting
- > Lifespan L80/B10: >50,000 h
- > Colour rendering index (CRI) Ra: >90, (CRI) R9: >50
- > Protection class: IP20

18 AWG connection lead for 3044 strip lights

| Length | Item No. |
|----------------|------------|
| 2.0m (78 3/4") | 833.95.708 |

Colour temperature

| Description | Item No. |
|--------------|------------|
| 2700K -5000K | 833.76.332 |

2190 Surface mount toe-kick profile

| Finish | Length | Item No. |
|-----------------|-----------------|------------|
| Silver coloured | 2.5m (98 7/16") | 833.72.840 |

Endcaps for 2190 recessed profile

| Finish | Item No. |
|--------|------------|
| Silver | 833.72.852 |

Power and distribution

| Description | Item No. |
|------------------------------------|------------|
| 90 Watt Driver | 833.95.003 |
| Power cord | 833.89.003 |
| 90 Watt 6-way mesh distributor | 850.00.043 |
| Mesh tunable (multi-white) adaptor | 833.77.831 |

Square surface or recessed mount multi-function mesh switch



> 47mm x 47mm x 15mm



| Description | Item No. |
|---|------------|
| Colour temperature change and dimmer for toe kick | 850.00.952 |
| CR2032 button battery | 002.99.032 |

For the complete range of products please refer to the Loox5 catalogue. Hover your mouse over this text to click on the hyperlink.





FLAP FITTINGS

10

MAXIMIZING UPPER CABINETS

Häfele offers a range of innovative and stylish flap fittings for upper cabinets to enhance the functionality of kitchen cabinets.

Browse our curated product range of Häfele Free Space, Häfele Free Fold, Häfele Free Swing and Häfele Free Up - all designed to maximize space.





Häfele Free Space

Overview

- > For flaps made from wood or with aluminum frame
- > Hinge-less stay flap fitting for more free room in all respects
- > Extremely powerful: suitable for the majority of the most common flap sizes and weights
- > Highly compact: a minimal footprint provides more storage space in furniture
- > Gentle running characteristics for easy operation
- > Quick and simple installation
- > Four standard colours and product options for handle-free applications















Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate





Häfele Free Space

1.11 and 6.15

Häfele Free Space 1.11

- > For standard stay flap applications with front height up to 650 mm
- > Opening angle: 90° or 107°
- > Adjustments: height, side, tilting angle, holding power
- > For installation with pre-mounted Euro screw, front panel installation without tools, for sliding onto pre-mounted fixing screws

Material: Housing: plastic; Front fixing bracket and support lever: steel, Finish: Front fixing bracket and support lever: nickel plated or black (with black housing) Housing: white, light grey, anthracite or black

| Model | White | Light Grey | Anthracite | Black |
|-------|------------|-------------------|------------|------------|
| В | 372.27.700 | 372.27.500 | 372.27.350 | 372.27.300 |
| C | 372.27.701 | 372.27.501 | 372.27.351 | 372.27.301 |
| D | 372.27.702 | 372.27.502 | 372.27.352 | 372.27.302 |
| E | 372.27.703 | 372.27.503 | 372.27.353 | 372.27.303 |
| F | 372.27.704 | 372.27.504 | 372.27.354 | 372.27.304 |

Supplied with

- 1 stay flap fitting set (1 piece each left/right)
- 4 fixing screws for front panel

Installation instructions with paper drilling template for side panel



Häfele Free Space 6.15

- > For flaps made from wood or with aluminum frame
- > Area of application: For heavy stay flap applications up to 15 kg (with cabinet height 600 mm)
- > Finish/colour: Front fixing bracket: Nickel plated, support lever: Nickel plated or black (with black housing), housing: White, light grey, anthracite or black
- > Opening angle: 90° or 107°
- > Adjustment facility: Height, side, tilting angle, holding power
- > Installation: Fitting for screw fixing with pre-mounted Euro screw, front panel fixing without tools, for sliding onto pre-mounted

Material: Housing: Plastic, front fixing bracket and support lever: Steel

| Model | White | Light grey | Anthracite | Black |
|-------|------------|------------|------------|------------|
| G | 372.27.721 | 372.27.521 | 372.27.321 | 372.27.421 |
| Н | 372.27.722 | 372.27.522 | 372.27.322 | 372.27.422 |

Packing: 1 set

Supplied with

1 stay flap fitting set (1 fitting each left/right), 2 front fixing brackets with pre-mounted screws, 1 set of installation instructions with paper drilling template for side panel

Order reference

The choice of the stay flap fitting for front panels with handle depends on the cabinet height and flap weight including handle. Model selection see sample measurements table. Please order suitable screw set 372.27.600 for aluminum frame front panels from frame width 45 mm. We recommend to use the stronger fitting model when in doubt.





Häfele Free Space Push

1.8 and 5.15

Häfele Free Space 1.8 Push

- > For standard stay flap applications without handle with front height up to 650 mm
- > Opening angle: 90° or 107°
- > Adjustments: height, side, tilting angle, holding power, release distance on push catch
- > For installation with pre-mounted Euro screw, front panel installation without tools, for sliding onto pre-mounted fixing screws

Material: Housing: plastic; Front fixing bracket and support lever: steel, Finish:

Front fixing bracket and support lever: nickel-plated or black (with black housing) Housing: white, light grey, anthracite or black

| Model | White | Light Grey | Anthracite | Black |
|-------|------------|-------------------|------------|------------|
| В | 372.27.705 | 372.27.505 | 372.27.355 | 372.27.305 |
| C | 372.27.706 | 372.27.506 | 372.27.356 | 372.27.306 |
| D | 372.27.707 | 372.27.507 | 372.27.357 | 372.27.307 |
| E | 372.27.708 | 372.27.508 | 372.27.358 | 372.27.308 |
| F | 372.27.704 | 372.27.504 | 372.27.354 | 372.27.304 |

Supplied with

- 1 stay flap fitting set (1 piece each left/right)
- 4 fixing screws for front panel
- 1 Free push catch

Installation instructions with paper drilling template for side panel



Häfele Free Space 5.15 Push

- > For flaps made from wood or with aluminum frame
- > Area of application: For heavy stay flap applications up to 15 kg (with cabinet height 600 mm)(Push-to-Open)
- > Material: Housing: Plastic, front fixing bracket and support lever: Steel
- > Finish/colour: Front fixing bracket: Nickel plated, support lever: Nickel plated or black (with black housing), housing: White, light grey, anthracite or black
- > Opening angle: 90° or 107°
- > Adjustment facility: Height, side, tilting angle, holding power release distance on push catch
- > Installation: Fitting for screw fixing with pre-mounted Euro screw, front panel fixing without tools, for sliding onto pre-mounted fixing screw

| Model | White | Light grey | Anthracite | Black |
|-------|------------|------------|------------|------------|
| F pto | 372.27.730 | 372.27.530 | 372.27.330 | 372.27.430 |
| G pto | 372.27.731 | 372.27.531 | 372.27.331 | 372.27.431 |
| H pto | 372.27.732 | 372.27.532 | 372.27.332 | 372.27.432 |

Packing: 1 set

Supplied with

1 stay flap fitting set (1 fitting each left/right), 2 front fixing brackets with pre-mounted screws, 1 Free push catch, 1 set of installation instructions with paper drilling template for side panel

Order reference

The model selection of the stay flap fitting for front panels without handle depends on the cabinet height and flap weight. Model selection see sample measurements table. Please order suitable screw set 372.27.600 for aluminium frame front panels from frame width 45 mm. Please order screw-on housing for push catch separately. We recommend to use the stronger fitting model when in doubt.

Häfele Free Space

Accessories

For mounting in drilled hole, Ø10 x 90 mm (3/8" x 3 9/16")

| Model | Colour Code | Force | White | Grey | Anthracite | Black |
|--------|----------------|---------|------------|------------|------------|------------|
| Type 1 | green | 17-23 N | 372.91.700 | 372.91.500 | 372.91.390 | 372.91.300 |
| Type 2 | yellow | 22-34 N | 372.91.701 | 372.91.501 | 372.91.391 | 372.91.301 |
| Type 3 | blue | 26-48 N | 372.91.702 | 372.91.502 | 372.91.392 | 372.91.302 |

Screw-on housing for Free push catch

| Colour | Item No. |
|------------|------------|
| White | 372.91.703 |
| Grey | 372.91.503 |
| Anthracite | 372.91.393 |
| Black | 372.91.303 |

Drilling jig

| Description | Item No. |
|------------------|------------|
| Drilling jig | 001.25.080 |
| Drilling jig bit | 001.20.356 |

Free Space 2-in-1 Drilling Jig

- > For pilot drilling the cabinet side panels and flap front panel > For drilling patterns, please see Free Space installation instructions

Material: plastic; Drilling Sleeves: steel

| Description | Item No. |
|-------------------------|------------|
| Free Space drilling jig | 372.27.602 |

Positioning pin

Material: steel

| Triaterian etec. | |
|------------------|------------|
| Description | Item No. |
| positioning pin | 372.27.605 |

Fixing screws for flaps with aluminum frame, from frame width 45 mm (1 3/4")

- > For connecting aluminum frame front panels with frame width from 45 mm (1 3/4")
- > For fixing the aluminum frame profile with screws

Material: steel

| Finish | Item No. |
|---------------|------------|
| nickel-plated | 372.27.600 |

Supplied with

- 4 screws 4 collar rings

Häfele Free Fold Overview



- > Even high front panels can be lifted up in a spacesaving way
- > Less space required in the room when opening
- > The handle is reachable at all times
- > Pleasant operating feeling even with heavy flaps
- > Stylish and compact design
- > Safety stop
- > For use in combination with standard 110° concealed hinges
- > Minimum opening resistance, multi-position stop function and integrated soft opening and soft closing mechanisms for extremely pleasant operating feeling
- > Rational and quick installation thanks to pins, premounted Euro screws and quick fixing system of the front panel

| Cabinet Height Dim. KH mm | ß° | Dim. Q mm | Dim. R mm | Dim. S mm | Dim. T mm | Dim. U mm | Dim. V mm | Dim. W mm |
|------------------------------------|----------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 480-530 | ≈107-96 | 1.1 | 426 | 328 | 100-37 | 100-155 | 203-186 | 328-370 |
| 520-590 | ≈107-93 | 1.1 | 466 | 347 | 106-23 | 112-184 | 213-190 | 347-401 |
| 580-650 | ≈108−95 | 1.2 | 589 | 377 | 119-40 | 126-197 | 227-207 | 375-430 |
| 650-730 | ≈107-94 | 1.2 | 664 | 409 | 124-38 | 147-224 | 238-215 | 411-470 |
| 710-790 | ≈108−95 | 1.2 | 736 | 439 | 136-46 | 161-233 | 250-219 | 439-500 |
| 770-840 | ≈108−95 | 1.0 | 644 | 467 | 146-43 | 179-223 | 267-200 | 466-527 |
| 840-910 | ≈108−98 | 1.2 | 882 | 501 | 154-70 | 195-248 | 272-231 | 502-559 |
| 910-970 | ≈107-98 | 1.1 | 865 | 533 | 160-78 | 214-246 | 282-225 | 536-588 |
| 960-1010 | ≈107−100 | 1.1 | 915 | 557 | 170-99 | 228-251 | 295-240 | 560-605 |
| 1000-1067 | ≈107−102 | 1.1 | 954 | 576 | 177-120 | 239-256 | 306-256 | 578-616 |





Häfele Free Fold

Overview

Double Door Lift-up Fitting

> Adjustments: Height/side/depth of top panel (via concealed hinge) and lower panel (via connecting hinge), holding power (via fitting).

Material: Fitting: plastic, steel; Cover Cap: plastic; Finish: nickel-plated

| Combined Door Height mm | Combined Door Weight kg (lb) | Model | Grey | White |
|----------------------------------|------------------------------|-------|------------|------------|
| 480 to 530 | 2.6 to 5.2 (5.7 to 11.5) | C1fo | 372.37.510 | 372.37.710 |
| (18 7/8" to 20 7/8") | 5.2 to 10.6 (11.5 to 23.4) | C3fo | 372.37.512 | 372.37.712 |
| | 7.8 to 15.1 (17.2 to 33.3) | C4fo | 372.37.513 | 372.37.713 |
| 520 to 590 | 2.4 to 4.9 (5.3 to 10.8) | D1fo | 372.37.520 | 372.37.720 |
| (20 1/2" to 23 1/4") | 4.8 to 9.8 (10.6 to 21.6) | D3fo | 372.37.522 | 372.37.722 |
| | 7.2 to 14.1 (15.9 to 31.1) | D4fo | 372.37.523 | 372.37.723 |
| 580 to 650 | 2.2 to 4.4 (4.8 to 9.7) | E1fo | 372.37.530 | 372.37.730 |
| (22 13/16" to 25 9/16") | 4.3 to 8.8 (9.5 to 19.4) | E3fo | 372.37.532 | 372.37.732 |
| | 6.0 to 12.2 (13.2 to 26.8) | E4fo | 372.37.533 | 372.37.733 |
| | 10.6 to 20.9 (23.3 to 46) | E5fo | 372.37.534 | 372.37.734 |
| 650 to 730 | 3.9 to 7.9 (8.6 to 17.4) | F3fo | 372.37.542 | 372.37.742 |
| (25 9/16" to 28 3/4") | 5.8 to 11.6 (12.8 to 25.5) | F4fo | 372.37.543 | 372.37.743 |
| | 9.5 to 18.7 (20.9 to 41.1) | F5fo | 372.37.544 | 372.37.744 |
| 710 to 790 | 3.5 to 7.2 (7.7 to 15.8) | G3fo | 372.37.552 | 372.37.752 |
| (27 15/16" to 31 1/8") | 5.2 to 10.3 (11.4 to 22.7) | G4fo | 372.37.553 | 372.37.753 |
| | 8.7 to 17.2 (19.1 to 37.8) | G5fo | 372.37.554 | 372.37.754 |
| 770 to 840 | 4.9 to 9.8 (10.8 to 21.6) | H4fo | 372.37.563 | 372.37.763 |
| (30 5/16" to 33 1/16") | 8.0 to 15.5 (17.6 to 34.1) | H5fo | 372.37.564 | 372.37.764 |
| 840 to 910 | 4.5 to 9.0 (9.9 to 19.8) | l4fo | 372.37.573 | 372.37.773 |
| (33 1/16" to 35 13/16") | 7.3 to 14.6 (16.1 to 32.1) | l5fo | 372.37.574 | 372.37.774 |
| 910 to 970 | 4.2 to 8.0 (9.2 to 17.6) | J4fo | 372.37.583 | 372.37.783 |
| (35 13/16" to 38 3/16") | 6.8 to 13.5 (15 to 29.7) | J5fo | 372.37.584 | 372.37.784 |
| 960 to 1010 | 3.9 to 7.6 (8.6 to 16.7) | K4fo | 372.37.593 | 372.37.793 |
| (37 13/16" to 39 3/4") | 6.5 to 12.8 (14.3 to 28.2) | K5fo | 372.37.594 | 372.37.794 |
| 1000 to 1067 (39 3/8" to 42") | 6.2 to 12.3 (13.6 to 27.1) | L5fo | 372.37.599 | 372.37.799 |

Supplied With

2 Fittings (right/left)

Front mounting material for wood doors or doors with wide aluminum frame

Installation instructions

Paper drilling template

2 Cover caps for fitting (right/left)

Note

Concealed hinges for mounting the door to the cabinet, connecting hinges and adaptors for narrow aluminum frames (if applicable) must be ordered separately. The specified models apply to common door heights and weights. Shorter front panels with higher door weights and taller front panels with lower door weights can also be implemented in individual cases.

Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate.

Häfele Free Fold

Accessories



Connecting Hinge

- > For wood and aluminum frame doors from frame width 20 mm (13/16")
- > With finger protection function
- > Installed with chipboard screws
- > Adjustments: 3-dimensional, Side adjustment: ±2 mm, Gap adjustment: -2 to +1 mm, Depth adjustment: ±1.5 mm

Material: zinc alloy

| Finish | Item No. |
|---------------|------------|
| nickel-plated | 372.64.796 |



Adaptor, for Doors with 20 mm (13/16") Aluminum Frame

Material: zinc alloy

| Finish | Item No. |
|---------------|------------|
| nickel-plated | 372.37.044 |

Supplied With Mounting material





Häfele Free Swing

Overview



- > For one-piece doors made from wood, glass or with aluminum frame
- > Full access to the cabinet contents; Ideal for large front panels;
 - modern design with clear-cut contours
- > Minimum opening resistance, multi-position stop function and soft opening and soft closing mechanism for ease of operation
- > Time-saving assembly provided by tabs, pre-mounted Euro screws and clip mounting of front panel and cross bar, eccentric adjustment of front panel

Swing-up Front Fitting

> Adjustments: height adjustment: ± 1.5 mm, side adjustment: ± 1.5 mm, tilting angle: $\pm 1.5^{\circ}$ holding power power.

Material: Fitting: plastic, steel; Cover Cap: plastic, Finish: Fitting: nickel-plated

| Model | Grey | White |
|-------|------------|------------|
| S1sw | 372.34.500 | 372.34.700 |
| S2sw | 372.34.510 | 372.34.710 |
| S3sw | 372.34.520 | 372.34.720 |
| S4sw | 372.34.501 | 372.34.701 |
| S5sw | 372.34.511 | 372.34.711 |
| S6sw | 372.34.521 | 372.34.721 |
| S7sw | 372.34.502 | 372.34.702 |
| S8sw | 372.34.512 | 372.34.712 |
| S9sw | 372.34.522 | 372.34.722 |

Supplied With

2 Fittings (right/left)

Front mounting material for wood doors or doors with wide aluminum frame

Installation instructions

Paper drilling template

2 Cover caps for fitting (right/left)

Note

Cross bar and adaptors for glass front panels or narrow aluminum frames (if applicable) must be ordered separately. Use two Free Swing sets for flap widths >1800 mm (70 7/8").

Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate.

Häfele Free Swing

Accessories



Cross Bar

- > For synchronizing both fitting parts
 > Can be cut to size
 > Cutting dimension = internal cabinet width 88 mm (3 7/16")

Material: aluminum; Finish: brushed anodized

| Cabinet Width Length mm | | Item No. |
|-------------------------|-----------------|------------|
| 600 (23 5/8") | 474 (18 11/16") | 372.33.692 |
| 900 (35 7/16") | 774 (30 1/2") | 372.33.694 |
| 1200 (47 1/4") | 1074 (42 5/16") | 372.33.696 |
| 1800 (70 7/8") | 1674 (65 7/8") | 372.33.698 |

Note

Cross bar is prepared for side panel thicknesses 16-19 mm (5/8"-3/4").



Adaptor, for Doors with 20 mm (13/16") Aluminum Frame

> For mounting the parallel lift-up front fitting to doors with narrow aluminum frame > Mounting: for left or right hand use

Material: zinc alloy

| Finish | Item No. |
|---------------|------------|
| nickel-plated | 372.91.599 |

Supplied With

M4 x 10 mm screws

Häfele Free Up

Overview



- > For one-piece flaps made from wood, glass or with aluminium frame
- > Ideal for cabinets with front panels above
- > Hardly any space required in the room towards the front
- > Creates practical "niches" in tall cabinets, e.g. for electrical equipment
- > Cabinet contents are extremely easy to access
- > Excellent side stability
- > Minimum opening resistance, multi-position stop function and integrated soft opening and soft closing mechanisms for extremely pleasant operating feeling
- > Separate models are available for applications without handle
- > Rational and quick installation thanks to pins, premounted Euro screws and quick fixing system of the front panel and cross bar
- > Stylish and compact design

> Adjustments: Height adjustment: ±1.5 mm, Side adjustment: ±1.5 mm, Tilting angle: ±1.5°, holding power Material: Fitting: plastic, steel: Cover Cap; plastic; Finish; nickel-plated

| Door Height mm | Door Weight kg (lb) | Model | Grey | White |
|----------------------------------|------------------------|-------|------------|------------|
| 320-360 | 3.0-5.7 (6.6-12.5) | O1us | 372.33.500 | 372.33.700 |
| (12 5/8" – 14 3/16") | 4.8-9.3 (10.6-20.5) | O2us | 372.33.501 | 372.33.701 |
| | 8.7-16.5 (19.1-36.3) | O3us | 372.33.502 | 372.33.702 |
| 345-420 | 2.4-4.8 (5.3-10.6) | P1us | 372.33.510 | 372.33.710 |
| (13 9/16" – 16 9/16") | 4.1-8.0 (9-17.6) | P2us | 372.33.511 | 372.33.711 |
| | 7.4-14.0 (16.3-30.8) | P3us | 372.33.512 | 372.33.712 |
| | 11.0-19.6 (24.2-43.1) | P4us | 372.33.513 | 372.33.713 |
| 380-500 (14 15/16"-19 11/16") | 2.0-3.8 (4.4-8.4) | Q1us | 372.33.520 | 372.33.720 |
| | 3.4-6.7 (7.5-14.7) | Q2us | 372.33.521 | 372.33.721 |
| | 6.3-11.8 (13.9-26) | Q3us | 372.33.522 | 372.33.722 |
| | 9.3-17.4 (20.5-38.3) | Q4us | 372.33.523 | 372.33.723 |
| 430-600 | 1.6-3.3 (3.5-7.3) | R1us | 372.33.530 | 372.33.730 |
| (16 15/16" – 23 5/8") | 2.6-5.5 (5.7-12.1) | R2us | 372.33.531 | 372.33.731 |
| | 5.0-9.7 (11-21.3) | R3us | 372.33.532 | 372.33.732 |
| | 7.4-14.6 (16.3-32.1) | R4us | 372.33.533 | 372.33.733 |

Supplied With

2 fittings (right/left)

Front mounting material for wood doors or doors with wide aluminum frame Installation instructions

Paper drilling template

2 Cover caps for fitting (right/left)

Note

Cross bar and adaptors for glass front panels or narrow aluminum frames (if applicable) must be ordered separately. Use two Free Up sets for door widths >1800 mm (70 7/8").

Kitchen Solutions-FC, HCN-en, Dimensional data not binding. We reserve the right to alter specifications without notice. Dimensions in mm. Inches are approximate.

Häfele Free Up

Accessories



Cross Bar

- > For synchronizing both fitting parts
 > Can be cut to size
 > Cutting dimension = internal cabinet width 88 mm (3 7/16")

Material: aluminum; Finish: brushed anodized

| Cabinet Width mm | Length mm | Item No. |
|------------------|-----------------|------------|
| 600 (23 5/8") | 474 (18 11/16") | 372.33.692 |
| 900 (35 7/16") | 774 (30 1/2") | 372.33.694 |
| 1200 (47 1/4") | 1074 (42 5/16") | 372.33.696 |
| 1800 (70 7/8") | 1674 (65 7/8") | 372.33.698 |

Note

Cross bar is prepared for side panel thicknesses 16-19 mm (5/8"-3/4").



Adaptor, for Doors with 20 mm (13/16") Aluminum Frame

- > For mounting the parallel lift-up front fitting to doors with narrow aluminum frame > Mounting: for left or right hand use

Material: zinc alloy

| Finish | Item No. |
|---------------|------------|
| nickel-plated | 372.91.599 |

Supplied With

M4 x 10 mm screws





SLIDING SYSTEMS

MAXIMIZING AESTHETICS

Häfele Slido and Hawa Folding doors are sleek and modern storage solutions for kitchen spaces. These doors are designed to pivot and fold into a concealed pocket, creating a seamless-looking storage solution.





Infront/Vorfront - Wood

Häfele Slido F-Park72 50A

- > Hinges with integrated soft closing mechanism
- > Door height: 1200 to 1400/1990 to 2200/2200 to 2700
- > Door thickness: Parking pocket for 1 door: 18 to 30 mm, Parking pocket for 2 doors: 18 to 25 mm
- > Door weight: 30 kg (3 hinges)/50 kg (5 hinges)
- > Running gear: 3 rollers
- > Running gear guided by: ball bearing mounted roller: plastic
- > Mounting: for left and right hand use
- > Version: Hinges with integrated soft closing mechanism
- > Cabinet depth: 560/665 mm + door thickness
- > Installation: supplied pre-mounted
- > Installation dim.: Internal installation depth 560 mm, Internal installation depth 665 mm

| Description | Door height mm | Door weight kg | Internal installation depth mm | Item No. |
|-------------|-----------------|----------------|--------------------------------|------------|
| for 1 door | 1200 to 1400 | 30 | 560 | 408.45.004 |
| | | | 665 | 408.45.005 |
| | 1990 to 2200 30 | | 560 | 408.45.024 |
| | | | 665 | 408.45.025 |
| | 2200 to 2700 | 50 | 560 | 408.45.026 |
| | | | 665 | 408.45.027 |

<u>Please use The Complete Häfele for reference to accessories and application parts. Hover your mouse over this text to click on the hyperlink.</u>



Infront/Vorfront - Wood

Häfele Slido F-Park72 60B

> For double doors with door weights up to 60 kg (5 hinges)

> Secured end position when the door is being closed

> Extremely easy installation

> Door height: 1990 to 200 / 2200 to 2700 mm

> Door width: 2 x 600 mm / 2 x 700 mm

Door thickness: 18 to 30 mmDoor weight: 60 kg 5 hingesRunning gear: 3 rollers

> Running gear guided by: ball bearings> Mounting: for left and right hand use> For internal cabinet depth: 805/905 mm

Häfele Slido F-Park72 60B, set

| Description | For internal cabinet depth mm | Door height mm | Item No. |
|-------------------|-------------------------------|-------------------|------------|
| For 1 double door | 805 | 1200 to 1400 | 408.45.008 |
| | | 1990 to 2200 | 408.45.010 |
| | | 2200 to 2700 | 408.45.012 |
| 9 | 905 | 1990 to 2200 | 408.45.011 |
| | | 2200 to 2700 | 408.45.013 |

Please use The Complete Häfele for reference to accessories and application parts. Hover your mouse over this text to click on the hyperlink.











Infront/Vorfront - Wood

Concepta 25/30/40/50, set

| Description | Door height mm | Door weight kg | Item No. |
|-------------|----------------|----------------|------------|
| For 1 door | 1250 to 1850 | 25 | 408.30.590 |
| | 1851 to 2300 | 30 | 408.30.591 |
| | 1851 to 2500 | 40 | 408.30.592 |
| | 2301 to 2850 | 50 | 408.30.593 |

<u>Please use The Complete Häfele for reference to accessories and application parts. Hover your mouse over this text to click on the hyperlink.</u>



Infront/Vorfront - Wood

Folding Concepta 25 set

| Description | Door height mm | | Mounting | Colourless anodized | Black anodized |
|--|----------------|--------------|----------|---------------------|----------------|
| For 1 pair of doors, running track length | 1250 to 1850 | (L) | left | 408.31.008 | 408.31.012 |
| 1420 mm Area of application: For use with 2 or 4 doors (1 or 2 pairs of doors) | | (R) | right | 408.31.009 | 408.31.013 |
| Will 2 of 4 doors (1 of 2 pairs of doors) | 1851 to 2600 | (L) | left | 408.31.010 | 408.31.014 |
| | | (R) | right | 408.31.011 | 408.31.015 |
| 1 set | 1851 to 2600 | (L) 3 | left | 408.31.016 | 408.31.018 |
| 2 Connector connecting profiles for parking pocket (1 top, 1 bottom) | | (R) 3 | right | 408.31.017 | 408.31.019 |
| Order reference Please order set (A) for 1 Hawa Concepta door separately. | | | | | |

Supplied with
1 set
2 Connector connecting profiles for parking pocket
(1 top, 1 bottom)

<u>Please use The Complete Häfele for reference to accessories and application parts. Hover your mouse over this text to click on the hyperlink.</u>





Häfele Canada Inc. | 5323 John Lucas Drive | Burlington | Ontario | L7L 6A8

Phone: 1 800 423-3531 | Email: info@hafele.ca