

HÄFELE



www.hafele.ca

NEW PRODUCTS

10/30/2023

Planero Lava - VS COR® Fold

Vauth-Sagel by Häfele



- > The VS COR® Fold corner cabinet is easily accessible due to its user-friendly movement when opened
- > Upon opening, the front baskets automatically swing away, leaving free access to the back basket
- > Thanks to the front connection with integrated 3D adjustment and central height alignment, the VS COR® Fold can be fitted perfectly
- > The integrated dampening ensures quiet, smooth closing of the pull-out

Finish	Item No. Left	Item No. Right	Door dimensions mm	Cabinet dimensions mm
Planero Lava	548.13.384	548.13.385	400	800
	548.13.386	548.13.387	450 to 600	900 to 1000
Planero Walnut	548.19.683	548.19.682	400	800
	548.19.693	548.19.692	450 to 600	900 to 1000

Planero Lava and Walnut - VS COR® Flex

Vauth-Sagel by Häfele



- > A pull out corner unit with four baskets, which maximizes space and fully exits the cabinet allowing access to each basket.
- > Unhanded installation, pull-out can be used on left or right side
- > Integrated soft and self close ensures quiet, smooth closing of the pull-out

- > Min. cabinet width: 800 mm (31 1/2")
- > Built-in depth: 480 mm (18 7/8")
- > Installed height: 530 mm (20 7/8")
- > Capacity: Slide Load: 32 kg (70.5 lb); Basket: 8 kg (17.5 lb)

Material: powder coated RAL 9006 grey

Finish	Door Width mm	Item No.
Planero Lava	400 (15 3/4")	595.56.323
Planero Walnut		545.56.723
Planero Lava	450 (17 3/4")	595.56.324
Planero Walnut		595.56.724
Planero Lava	600 (23 5/8")	595.56.325
Planero Walnut		595.56.725

Supplied with

Pull-out and sliding mechanism
4 x storage baskets
Installation template
Installation instructions

Planero Lava and Walnut - VS CORNERSTONE® MAXX

Vauth-Sagel by Häfele



- > Easy to assemble pull-out shelving unit
- > Shelves operate independently
- > Toolless assembly of shelf elements on the support arms
- > Automatic assist opening
- > Simple height adjustment, even when installed
- > Floating design thanks to hidden fastening
- > Large-area shelves
- > Left or right hande

Finish	Door Width mm	Cabinet Width mm	Left Hand	Right Hand
Planero Lava Grey	400 (15 3/4")	800 (21 1/2")	542.02.491	542.02.490
	450 (17 3/4")	900 (35 7/16")	542.02.493	542.02.492
	500 (19 11/16")	1000 (39 3/4")	542.02.495	542.02.494
	600 (23 5/8")	1000 (39 3/4")	542.02.497	542.02.496

Finish	Door Width mm	Cabinet Width mm	Left Hand	Right Hand
Planero Walnut	400 (15 3/4")	800 (21 1/2")	542.13.744	542.13.743
	450 (17 3/4")	900 (35 7/16")	542.13.749	542.13.748
	500 (19 11/16")	1000 (39 3/4")	542.13.754	542.13.753
	600 (23 5/8")	1000 (39 3/4")	542.13.764	542.13.763

Planero Lava and Walnut - VS COR® Wheel Pro

Vauth-Sagel by Häfele



- > Designed with no central column to give greatest amount of storage space and with adjustable shelf heights to suit different cabinet heights
- > Can be retrofitted into existing cabinets
- > Shelves rotate independently of each other
- > Unhanded

Finish	Ø mm	Item No.
Planero Lava Grey	680 (26 3/4")	542.62.411
	760 (29 15/16")	542.62.412
Planero Walnut	680 (26 3/4")	542.62.011
	760 (29 15/16")	542.62.012
Supplied with 2 melamine shelves with polished chrome rail. Mounting brackets Shelf arms Installation instructions.		

Planero Lava and Walnut - VS SUB® Side

Vauth-Sagel by Häfele



- > Height-variable installation of the baskets with additional locking
- > Unhanded frame, can be mounted either left or right
- > 3D front adjustment
- > Integrated soft close damper
- > Built-in depth: 495 mm (19 1/2")
- > Capacity: max. 20 kg (44 lb) per unit

Frames

- > Width: 30 mm (1 3/16")
- > Depth: 495 mm (19 1/2")

Material: steel

Finish	Height	Item No.
Planero Lava Grey	485 (19 1/8")	595.77.301
	577 (22 11/16")	546.34.351
	619 (24 3/8")	595.77.302
	741 (29 3/16")	595.77.303
	1222 (48 7/64")	595.77.305
	1602 (63 5/64")	—
	1824 (71 13/16")	595.77.308

Baskets

Material: steel, chrome-plated

Cabinet Width	No. of Baskets	Planero Lava Grey	Planero Walnut
139 (5 1/2")	2	546.36.381	595.78.721
	3	595.78.311	595.78.731
220 (8 21/32")	2	546.36.382	595.78.722
	3	595.78.312	595.78.732

Supplied with
 Storage baskets
 Hanging clips (2 per basket)
 Door mounting brackets x 2

Planero Lava - VS SUB® Slim

Vauth-Sagel by Häfele



- > Base cabinet pull-out with closed metal shelf
- > Right hand mounting only
- > Tool-free assembly of the pull-out
- > 3D front adjustment
- > Integrated dampening
- > For material thickness: 16 – 19 mm (5/8" – 3/4")
- > Min. cabinet width: 150 mm (5 7/8")
- > Installed height: 600 mm (23 5/8")
- > Built-in depth: 500 mm (19 11/16")
- > Capacity: slide load: 12 kg (26.5 lb); baskets: 6 kg (13 lb)
- > Hardware not included

Fixed Trays

- > 2 fixed trays
- > Basket width: 100 mm (3 15/16")

Material: steel

Finish	Item No.
Planero Lava Grey	548.08.320
Planero Walnut	548.08.720
Supplied with 1 pull-out 1 pair of full extension, soft and self closing ball bearing slides 2 door hanging plates	

VIONARO

Grass by Häfele



- > Slimline steel or aluminum drawer sides
- > Good storage space utilization thanks to low installation width and 90° straight interior sides
- > Stylish internal panels made from aluminum
- > High stability for front height up to 780 mm (H185, H249)
- > Easy mounting and quick fixing systems
- > Convenient 3D adjustment integrated in drawer sides
- > Flexibility – One Slide for Wooden and Metal drawers – Dynapro

VIONARO

Grass by Häfele

VIONARO - GRAPHITE

Length	Height	Box quantity	Item No.
450mm (18")	63mm (2.5")	20	550.40.345
500mm (20")	63mm (2.5")	20	550.40.350
550mm (22")	63mm (2.5")	20	550.40.355
270mm (11")	89mm (3.5")	20	550.41.327
300mm (12")	89mm (3.5")	20	550.41.330
350mm (14")	89mm (3.5")	20	550.41.335
400mm (16")	89mm (3.5")	20	550.41.340
450mm (18")	89mm (3.5")	20	550.41.345
500mm (20")	89mm (3.5")	20	550.41.350
550mm (22")	89mm (3.5")	20	550.41.355
600mm (24")	89mm (3.5")	20	550.41.360
650mm (26")	89mm (3.5")	20	550.41.365
270mm (11")	121mm (4.75")	10	-
300mm (12")	121mm (4.75")	10	-
350mm (14")	121mm (4.75")	10	550.42.335
400mm (16")	121mm (4.75")	10	550.42.340
450mm (18")	121mm (4.75")	10	550.42.345
500mm (20")	121mm (4.75")	10	550.42.350
550mm (22")	121mm (4.75")	10	550.42.355
600mm (24")	121mm (4.75")	10	-
650mm (26")	121mm (4.75")	10	-
270mm (11")	185mm (7.5")	10	550.43.327
300mm (12")	185mm (7.5")	10	550.43.330
350mm (14")	185mm (7.5")	10	550.43.335
400mm (16")	185mm (7.5")	10	550.43.340
450mm (18")	185mm (7.5")	10	550.43.345
500mm (20")	185mm (7.5")	10	550.43.350
550mm (22")	185mm (7.5")	10	550.43.355
600mm (24")	185mm (7.5")	10	550.43.360
650mm (26")	185mm (7.5")	10	550.43.365
450mm (18")	249mm (10")	10	550.44.345
500mm (20")	249mm (10")	10	550.44.350
550mm (22")	249mm (10")	10	550.44.355
600mm (24")	249mm (10")	10	550.44.360

VIONARO

Grass by Häfele

VIONARO - WHITE

Length	Height	Box quantity	Item No.
450mm (18")	63mm (2.5")	20	550.40.745
500mm (20")	63mm (2.5")	20	550.40.750
550mm (22")	63mm (2.5")	20	550.40.755
270mm (11")	89mm (3.5")	20	550.41.727
300mm (12")	89mm (3.5")	20	550.41.730
350mm (14")	89mm (3.5")	20	550.41.735
400mm (16")	89mm (3.5")	20	550.41.740
450mm (18")	89mm (3.5")	20	550.41.745
500mm (20")	89mm (3.5")	20	550.41.750
550mm (22")	89mm (3.5")	20	550.41.755
600mm (24")	89mm (3.5")	20	550.41.760
650mm (26")	89mm (3.5")	20	550.41.765
270mm (11")	121mm (4.75")	10	-
300mm (12")	121mm (4.75")	10	-
350mm (14")	121mm (4.75")	10	550.42.735
400mm (16")	121mm (4.75")	10	550.42.740
450mm (18")	121mm (4.75")	10	550.42.745
500mm (20")	121mm (4.75")	10	550.42.750
550mm (22")	121mm (4.75")	10	550.42.755
600mm (24")	121mm (4.75")	10	-
650mm (26")	121mm (4.75")	10	-
270mm (11")	185mm (7.5")	10	550.43.727
300mm (12")	185mm (7.5")	10	550.43.730
350mm (14")	185mm (7.5")	10	550.43.735
400mm (16")	185mm (7.5")	10	550.43.740
450mm (18")	185mm (7.5")	10	550.43.745
500mm (20")	185mm (7.5")	10	550.43.750
550mm (22")	185mm (7.5")	10	550.43.755
600mm (24")	185mm (7.5")	10	550.43.760
650mm (26")	185mm (7.5")	10	550.43.765
450mm (18")	249mm (10")	10	550.44.745
500mm (20")	249mm (10")	10	550.44.750
550mm (22")	249mm (10")	10	550.44.755
600mm (24")	249mm (10")	10	550.44.760

VIONARO

Grass by Häfele

DYNAPRO SLIDES



Length	Weight	Box quantity	Item No.
250mm (10")	40 Kg	20	233.19.600
270mm (11")	40 Kg	20	433.19.601
300mm (12")	40 Kg	20	433.19.602
350mm (14")	40 Kg	20	433.19.604
400mm (16")	40 Kg	20	433.19.606
450mm (18")	40 Kg	15	433.19.608
500mm (20")	40 Kg	15	433.19.610
550mm (22")	40 Kg	15	433.19.612
450mm (18")	70 Kg	5	433.20.628
500mm (20")	70 Kg	5	433.20.630
550mm (22")	70 Kg	5	433.20.632
600mm (24")	70 Kg	5	433.20.634
650mm (26")	70 Kg	5	433.20.635
700mm (28")	50 Kg	5	433.20.615
750mm (30")	50 Kg	5	433.20.616

ACCESSORY KITS

Colour	Height	Description	Box quantity	Fixing method	Item No.
Graphite	63mm (2.5")	-	1	Screw fixing	550.47.344
White	63mm (2.5")	-	1	Screw fixing	550.47.744
Graphite	89mm (3.5") & 121mm (4.75")	-	1	Screw fixing	550.47.340
White	89mm (3.5") & 121mm (4.75")	-	1	Screw fixing	550.47.740
Graphite	89mm (3.5") & 121mm (4.75")	8mm Spreading Dowel	1	Screw fixing	550.47.342
White	89mm (3.5") & 121mm (4.75")	8mm Spreading Dowel	1	Screw fixing	550.47.742
Graphite	185mm (7.5") & 249mm (10")	-	1	Screw fixing	550.47.341
White	185mm (7.5") & 249mm (10")	-	1	Screw fixing	550.47.741
Graphite	185mm (7.5") & 249mm (10")	8mm Spreading Dowel	1	Screw fixing	550.47.343
White	185mm (7.5") & 249mm (10")	8mm Spreading Dowel	1	Screw fixing	550.47.743

Supplied with

Cover caps, front locking devices, front holders and front stabilizers

TIPMATIC




Product	Box quantity	Item No.
TMSC KIT	1	433.19.080
SYNC ROD	1	433.19.086

Note

These are only required for push-to-open drawer

Häfele AXILO™ 48

Cabinet Levelling Solution



- > AXILO™ 48 is the smaller footprint version of the popular
- > AXILO™ 78 levelling system and saves 50% of cabinet installation time versus traditional levelers.>AXILO™ 48 is used in kitchen cabinet installations and is available in 4 foot (post) heights namely; 100mm, 120mm, 150mm, 180mm all able to support 150kg static load per foot and 65kg dynamic load per foot.
- > Each foot requires one of 4 available base plates; knock-in triangular, round, round with lug and round screw on with lug.
- > Three mounting clips for attaching the toe-kick are available.
- > Height adjustable from -8/15 to +20mm using the AXILO™ 48 Tool.

Description	Package Qty	Item No.
Plinth adj.foot Axilo 48 pl.black 100mm -8mm to +20mm adjustment	350	637.45.3311
Plinth adj.foot Axilo 48 pl.black 120mm -15mm to +20mm adjustment	270	637.45.3321
Plinth adj.foot Axilo 48 pl.black 150mm -15mm to +20mm adjustment	200	637.45.3331
Plinth adj.foot Axilo 48 pl.black 180mm -15mm to +20mm adjustment	150	637.45.3341
AXILO™ 48 Triangular base plate pl.black 89x89x25mm	2,250	637.38.3391
AXILO™ 48 Press-fit base plate w/ 10.5mm Dia.	600	637.38.4001
AXILO™ Press-fit base plate w/ 15mm Dia. w/lug	550	637.38.4021
AXILO™ Base plate w/internal thread M10 black	700	637.38.4041
AXILO™ 48 spacer ring (10mm height)	1000	637.76.4251
Fixing bracket for adj. foot and screw fixing	1700	637.96.371M
Panel clip plastic dowel for adj. foot, 4mm groove and screw fixing	600	637.96.3731
Fixing bracket for adj. foot (2 part) and for aluminum plinths	100	637.38.3541
Extension for AXILO™ 48 Adjusting tool	1	637.76.361
AXILO™ Adjusting tool for Industry	1	637.76.431
Steel bolt SW6 M10x33mm for 637.38.4041	1000	637.45.997

FREE SPACE by Häfele

Free Space 5.15 push



- > For flaps made from wood or with aluminum frame
- > Hinge-less stay flap fitting
- > Extremely compact: modern design and Häfele engineered technology allows more space inside the cabinet
- > Highly compact: a minimal footprint provides more storage space in furniture
- > Gentle running characteristics for easy operation
- > Fast simple installation: plugs into standard 32/37 mm line holes and fastens with pre-mounted euro screw
- > Four standard colours and product options for handle-free applications
- > Door opening can be adjusted to open 90 degrees or 107 degrees with integrated stop
- > Intuitive 3D door alignment and closing adjustment
- > Additional hinges and cover caps are not required

Model	White	Light grey	Anthracite	Black
F pto	372.27.730	372.27.530	372.27.330	372.27.430
G pto	372.27.731	372.27.531	372.27.331	372.27.431
H pto	372.27.732	372.27.532	372.27.332	372.27.432

Packing: 1 set

Supplied with

1 stay flap fitting set (1 fitting each left/right), 2 front fixing brackets with pre-mounted screws, 1 Free push catch, 1 set of installation instructions with paper drilling template for side panel

Order reference

The model selection of the stay flap fitting for front panels without handle depends on the cabinet height and flap weight. Model selection see sample measurements table.

Please order suitable screw set 372.27.600 for aluminium frame front panels from frame width 45 mm. Please order screw-on housing for push catch separately. We recommend to use the stronger fitting model when in doubt.

- > Area of application: For heavy stay flap applications up to 15 kg (with cabinet height 600 mm)(Push-to-Open)
- > Material: Housing: Plastic, front fixing bracket and support lever: Steel
- > Finish/colour: Front fixing bracket: Nickel plated, support lever: Nickel plated or black (with black housing), housing: White, light grey, anthracite or black
- > Opening angle: 90° or 107°
- > Adjustment facility: Height, side, tilting angle, holding power release distance on push catch
- > Installation: Fitting for screw fixing with pre-mounted Euro screw, front panel fixing without tools, for sliding onto pre-mounted fixing screw

FREE SPACE by Häfele

Free Space 6.15



- > For flaps made from wood or with aluminum frame
- > Hinge-less stay flap fitting
- > Extremely compact: modern design and Häfele engineered technology allows more space inside the cabinet
- > Highly compact: a minimal footprint provides more storage space in furniture
- > Gentle running characteristics for easy operation
- > Fast simple installation: plugs into standard 32/37 mm line holes and fastens with pre-mounted euro screw
- > Four standard colours and product options for handle-free applications
- > Door opening can be adjusted to open 90 degrees or 107 degrees with integrated stop
- > Intuitive 3D door alignment and closing adjustment
- > Additional hinges and cover caps are not required

Model	White	Light grey	Anthracite	Black
G	372.27.721	372.27.521	372.27.321	372.27.421
H	372.27.722	372.27.522	372.27.322	372.27.422

Packing: 1 set

Supplied with

1 stay flap fitting set (1 fitting each left/right), 2 front fixing brackets with pre-mounted screws, 1 set of installation instructions with paper drilling template for side panel

Order reference


The choice of the stay flap fitting for front panels with handle depends on the cabinet height and flap weight including handle. Model selection see sample measurements table.

Please order suitable screw set 372.27.600 for aluminum frame front panels from frame width 45 mm. We recommend to use the stronger fitting model when in doubt.

- > Area of application: For heavy stay flap applications up to 15 kg (with cabinet height 600 mm)
- > Material: Housing: Plastic, front fixing bracket and support lever: Steel
- > Finish/colour: Front fixing bracket: Nickel plated, support lever: Nickel plated or black (with black housing), housing: White, light grey, anthracite or black
- > Opening angle: 90° or 107°
- > Adjustment facility: Height, side, tilting angle, holding power
- > Installation: Fitting for screw fixing with pre-mounted Euro screw, front panel fixing without tools, for sliding onto pre-mounted fixing screws

Häfele Wireless Wall Switch

Connect Mesh 4-button remote and wall plate kit



- > Complete 4-Button remote kit in white
- > Each button can be programmed with the Häfele Connect Mesh App to control a group of lights or to activate a specific scenes.
- > The wireless Decora style wall switch is a great way to control pre-set scenes.
- > Clean and contemporary appearance
- > Smooth dimming control
- > Last setting stored when turned back on
- > Can be installed directly on a wall surface or over a wall box.
- > Includes Decora style wall plate and required wall mounting hardware as well as a CR2032 (002.99.032) battery.
- > Works with 12V and 24V MESH distributors to be ordered separately.

Description	Item No.
4-Button remote switch kit with wall plate, bracket and battery	450.80.868

Häfele Wireless Adjustable Shelf Lighting System

The solution for integrated lighting in adjustable shelves



Elegant and simple solution for providing lighting in spaces with adjustable shelves.

Bus Bar

- > Specially designed brushed aluminum bus bars are inserted into narrow vertical channels, on the side panels of each cabinet or closet section
- > Thin bus bar design allows for two bus bars to be applied back-to-back in a single panel
- > Optional drill bit made specifically for the bus bar channel is available

Power Supply Kit

- > Connects to a Loox driver to deliver a low voltage current to the bus bars
- > Easily installed either on the top or bottom of the cabinet

Adjustable shelf light bars

- > Built with spring loaded contact assembly transferring the current from the bus bar to the light bar, which is routed into the underside of the shelf
- > Light bars use standard silver coloured 1103 profile
- > Customers can order standard light bars or custom length light bars
- > Medium intensity 12V 2065 LED in 3000K or 4000K in 18", 24", 30" or 36" widths
- > High intensity 12V 2068 LED in 3000K or 4000K in 18", 24", 30" or 36" widths
- > Delivered ready to install into a routed shelf channel
- > No additional cables or leads required
- > Light bars are ULc Certified
- > Lifetime: 50,000 hrs

Häfele Wireless Adjustable Shelf Lighting System

The solution for integrated lighting in adjustable shelves

Voltage	LED family	Light intensity	Wattage W/m	Colour temp. (Kelvin)	Light bar length			
					18"	24"	30"	36"
12 V	LED 2065	Medium	4.8	3000K	833.88.978	833.88.979	833.88.980	833.88.981
				4000K	833.88.982	833.88.983	833.88.984	833.88.985
12 V	LED 2068	High	9.6	3000K	833.88.970	833.88.971	833.88.972	833.88.973
				4000K	833.88.974	833.88.975	833.88.976	833.88.977

Note
Min. order: 1 pc

Description	Package Qty	Item No.
Brushed and anodized aluminum bus bar 2337 x 7 x 4.6 mm (92" x 9/32" x 3/16")	20	833.74.996
8mm bus bar router bit	1	001.25.920
1/4" shank bit for bus bar routing	1	001.25.921

Description	Package Qty	Item No.
Power supply kit - drivers and control sold separately	1	833.88.986
Includes: 1 splice block with clips, 2 spring loaded contact connectors with 500 mm (19 11/16") cable and modular clips, 2 mounting brackets, 1 modular power cable, 1 m (39 3/8"), Mounting screws		

Häfele Connect Mesh Switches

Multi-function and Motion Detector Switches



Multi-function Häfele Connect Mesh furniture switch

- > Mesh control switch controls all light colours (monochrome, multi-white, RGB)
- > Bluetooth® wireless control of lights in a Häfele Connect Mesh network
- > On/off, dimming, change colour (RGB) or colour temperature (multi-white)
- > Recessed in drilled hole or surface mounted with supplied switch housing
- > Colour: Faceplate: Black; Housing: White
- > Housing Dimensions: (L x W x H): 47 x 47 x 15 mm (1 7/8" x 1 7/8" x 9/16") or for recessed mounting drilling diameter is 40mm (1 5/8")

Description	Item No.
Hafele Connect Multi-function switch	850.00.952
Supplied with 1 furniture switch 1 surface mount housing	
Requires 1 x CR2032 button cell lithium battery (002.99.032) – sold separately	



Direct powered motion detector

- > Use Connect Mesh App to customize: Run-time, brightness, and soft-off settings
- > Available in 12V and 24V versions for powering the switch
- > The modular lead cables are for power supply only. The switching is controlled by via Bluetooth®
- > Sensor range is 3 m (approximately 10 ft.) with sensor angles of 80 degrees horizontal; 70 degrees vertical
- > Mounting: Recess in drilled hole or surface mount with supplied switch housing
- > Colour: Black
- > Housing Dimensions: (L x W x H): 47 x 47 x 15 mm (1 7/8" x 1 7/8" x 9/16") or for recessed mounting drilling diameter is 40mm (1 5/8")

Description	Item No.
Hafele Connect Direct power motion detector 12 V	850.00.954
Hafele Connect Direct power motion detector 24 V	850.00.955
Supplied with 1 motion detector switch, 1 surface mount housing	
Requires one 12V modular cable (833.95.788) or one 24V modular cable (833.95.791), both are sold separately	

Häfele Connect Mesh Switches

Multi-function and Motion Detector Switches



Battery powered Häfele Connect Mesh motion detector

- > Use Connect Mesh App to customize: Run-time, brightness, and soft-off settings
- > Battery powered with an approximate life of > 1 year
- > Sensor range is 5 m (approximately 16 ft.) with sensor angles of 90 degrees horizontal; 90 degrees vertical
- > Mounting: Recess in drilled hole or surface mount with supplied switch housing
- > Drill hole Ø: 40 mm (1 5/8")
- > Colour: Black
- > Housing Dimensions: (L x W x H): 47 x 47 x 15 mm (1 7/8" x 1 7/8" x 9/16") or for recessed mounting drilling diameter is 40mm (1 5/8")

Description	Item No.
Battery powered motion detector	850.00.952
Supplied with 1 motion detector switch 1 surface mount housing	
Requires 1 x CR2032 button cell lithium battery (002.99.032) – sold separately	

Pull-Out Spice Racks

Kitchen Accessories



- > Installs in under 5 minutes
 - > Sized to fit most 457 and 610 mm (18" and 24") wide face frame cabinets
 - > 57 and 76 mm (2" and 3") width compartments hold up to 3 kg (7 lbs.)
 - > 102, 127 and 152 mm (4", 5" and 6") compartment widths hold up to 9 kg (20 lbs.)
 - > Unique upper cabinet design keeps supplies close to cooking and prep areas
- Cabinet Solutions 2/22

> D x H: 273 x 273 mm (10 3/4" x 10 3/4")

Material: Textured ABS/Stainless Steel/Birch

Width	Cabinet width	Item No.
365 (14 3/8")	457 (18")	545.06.101
488 (19 1/4")	610 (24")	545.06.102

> Depth: 273 mm (10 3/4")

Material: Textured ABS/Stainless Steel/Birch

Unit width	Base plate width	Height	Item No.
60 (2 3/8")	64 (2 1/2")	273 (10 3/4")	545.06.150
83 (3 1/4")	86 (3 3/8")	273 (10 3/4")	545.06.151
102 (4")	105 (4 1/8")	273 (10 3/4")	545.06.152
127 (5")	130 (5 1/8")	146 (5 3/4")	545.06.153
149 (5 7/8")	152 (6")	146 (5 3/4")	545.06.154

SYMPHONY Mirror

TAG



- > The Symphony mirror features clean lines and accent colours for a modern touch
- > Perfect for an entryway, bedroom, or other living space
- > Adds depth to a room while providing the “last-look” functionality when used at entryways
- > Clips on the Symphony rail at any point and can be repositioned

Material: Frame: Aluminum; Bracket; Zinc

Finish	Item No.
matte nickel	818.84.670
matte aluminum	818.84.070
slate grey	818.84.370
matte gold	818.84.870
black	818.84.270

MIRROR BRACKET



- > Attach the fixed 35” and 47” Synergy Elite Mirrors to Symphony systems

Material: Zinc

Finish	Item No.
black	818.84.390

SYMPHONY Pocket

TAG



- > A perfect complement to Symphony hooks and trays
- > A unique and stylish way to hold keys, mail, a tablet and more
- > Great for entryway and office installations

Material: Faux Leather

Leather colour	Item No.
oyster	818.84.460
winter	818.84.560
pewter	818.84.960

SYNERGY ELITE VALET BUTTON

TAG



- > A simple, elegant piece of hardware that adds a hanging option to any area of the home
- > Consists of two pieces for simple installation
- > Installs on partition edges, in drywall, and more

Material: Brass

Finish	Item No.
chrome	808.72.210
matte aluminum	808.72.010
matte nickel	808.72.610
matte gold	808.72.910
black	808.72.410
slate grey	808.72.310
Note Wall materials and installation needs vary, therefore, screws are not supplied	



Häfele Canada Inc. | 5323 John Lucas Drive | Burlington | Ontario | L7L 6A8

Phone: 1 800 423-3531 | Email: info@hafele.ca

www.hafele.ca